INDEX FOR VOLUME 61

Compiled by Melissa R. Sette

Checked by Mark S. Boyce

A

Abdominal fat pad: 444–449
Abdominal implants:
effects of transmitters on reproduction and survival of wild mallards, 953–961
Abies balsamea, see Fir, balsam
Abies concolor, see Fir, white
Abies grandis, see Fir, grand
Abies lasiocarpa, see Fir, subalpine
Abies magnifica, see Fir, red
Abies spp., *see* Fir
Ables, Ernest D., *see* Tear, Timothy H.
Abraham, Kennth F., *see* Rempel, Robert S.
Acacia ehrenbergiana: 1151
Acacia smallii, see Mesquite huisache
Acacia tortilis: 1151
Accipiter cooperii, see Hawk, Cooper's
Accipiter gentilis, see Goshawk, northern
Accipiter nisus, see Hawk, sparrow
Accipiter striatus, see Hawk, sharp-shinned
Acer circinatum, see Maple, vine
Acer glabrum, see Maple, Rocky Mountain
Acer macrophylum, see Maple, bigleaf
Acer negundo, see Maple, Manitoba
Acer rubrum, see Maple, red
Acer saccharum, see Maple, sugar
Acer spicatum, see Maple, mountain
Acer spp., *see* Maple
Achillea millefolium, see Yarrow
Acids, fecal bile:
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Acorns: 1067, 1072
Acoustic stimulus:
estimation of effective area of bird scarers, 925–934
Adam, Michael D., *see* Ratnaswamy, Mary J.
Adams, Raymond J., *see* Dunn, Erica H.
Adaptive kernel method: 346
Adaptive management: 202, 212, 269, 1031
selenium in aquatic birds from central California, 832–839
the role of protected areas as ecological baselines, 587–602
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
valuation of experimental management options for ecological systems, 987–1006
ADC, *see* Animal damage control
Additive mortality: 191, 1007, 1010–1011, 1065
Adinotriphosphate: 138
Adipose tissue: 445–449, 1083
Aegolius acadicus brooksi, see Owl, saw-whet
Aegolius funereus, see Owl, Tengmalm's
Aerial counts: 15, 27
Aerial photography:
a simple wetland habitat classification for boreal forest waterfowl, 746–757
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
Aerial survey:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
evaluation of an aerial quadrat survey for monitoring wintering duck populations, 403–412
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Aethia spp., *see* Auklet, Cassin's
Africa: 1452
Afton, Alan D., *see* Cox, Robert R. Jr.
Age determination:
estimating age of sea otters with cementum layers in the first premolar, 967–973
Age distribution:
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
Age ratio:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
Age structure:
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
Age-specific vital rate: 302
Agelaius phoeniceus, see Blackbird, red-winged
Aging:
estimating age of sea otters with cementum layers in the first premolar, 967–973
Agriculture: 1–11
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
factors affecting predation of artificial nests in marshes, 792–800
Agricultural edge:
raccoon habitat use at two spatial scales, 102–112

Agricultural landscape:
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
Agropyron caninum, see Grass, wheat
Agropyron spicatum, see Grass, bluebunch wheat
AIC, *see* Akaike's Information Criterion
Aircraft:
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Aix sponsa, see Duck, wood
Akaike's Information Criterion: 17, 205
Akimiski Island: 183
Alabama: 293
Alaska: 191, 217, 222, 413, 538, 766, 1155
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
reproductive success of bald eagles in interior Alaska, 1313–1321
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
testing for handling bias in survival estimation for black brant, 782–791
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Alaska Department of Fish and Game: 540, 542
Alberta: 206
effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Alces alces, see Moose
Alcidae: 377–388
Alder, green: 1228
Alder, red: 1117
Alder, Sitka: 1032, 1039
Alers, M. P. T., *see* Barnes, R. F. W.
Aleutian Islands: 191
Algae: 780
Allelic variability:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Allen, Craig R., Stephen Demarais, and R. Scott Lutz. Effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
Alligator, American: 385
growth rates of American alligators in coastal South Carolina, 397–402
Alligator mississippiensis, see Alligator, American
Allozyme:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Allyl isothiocyanate: 511
Alnus crispa, see Alder, green
Alnus rubra, see Alder, red
Alnus sinuata, see Alder, Sitka
Alopex lagopus, see Fox, arctic
Althoff, Donald P., Gerald L. Storm, and David R. Dewalle. Daytime habitat selection by cottontails in central Pennsylvania, 450–459
Alumroot, roundleaf: 1039
Ambrosia psilostachya, see Ragweed, western
Amelanchier alnifolia, see Serviceberry
Ames, Jack A., *see* Bodkin, James L.
Ammodramus henslowii, see Sparrow, Henslow's
Ammodramus leconteii, see Sparrow, Le Conte's
Ammodramus savannarum, see Sparrow, grasshopper
Ammonium: 129–139
Amphibians:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Amyl acetate: 511–514
Anas acuta, see Pintail, northern
Anas americana, see Wigeon, American
Anas clypeata, see Shoveler, northern
Anas crecca, see Teal, green-winged
Anas crecca crecca, see Teal, European green-winged
Anas cyanoptera, see Teal, cinnamon
Anas fulvigula, see Duck, mottled
Anas platyrhynchos, see Mallard
Anas rubripes, see Duck, American black
Anas strepera, see Gadwall
Anatidae: 403–412
frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Anatini, see Duck, dabbling
Anderson, Michael G., Robert B. Emery, and Todd W. Arnold. Reproductive success and female survival affect local population density of canvasbacks, 1174–1191
Anderson, Stanley H., *see* Smith, Bruce L.
Andreassen, Harry P., *see* Hansteen, Thomas L.
Andres, Brad A. The Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Andrews Experimental Forest: 141
Andropogon gerardii, see Bluestem, big
Andropogon hallii, see Bluestem, sand
Anemia:
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Angelica arguta, see Angelica, sharptooth
Angelica, sharptooth: 1039
Animal damage:
evaluation of lime as an avian feeding repellent, 917–924
Animal damage control: 235
Animal movement:
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Animal, Plant, and Health Inspection Service: 1–2, 5–11
Animale pyroleum crudum: 511–514
Annand, Elizabeth M., and Frank R. Thompson III.

Forest bird response to regeneration practices in central hardwood forests, 159–171
Anser albifrons frontalis, see Geese, white-fronted
Anser caerulescens atlanticus, see Geese, greater snow
Anser caerulescens caerulescens, see Geese, lesser snow
Ant, harvester:
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Ant, red imported fire:
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
Antelope, *see* Pronghorn, American
Anthony, Robert G., *see* Cole, Eric K.
———, *see* Steidl, Robert J.
Anthracene:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Anthraquinone:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Anthrone:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Anthropogenic: 112–113
Antibody titers:
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Antilocapra americana, see Pronghorn, American
Antlerogenesis:
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
Antlers:
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
Ants: 489
Annuli:
estimating age of sea otters with cementum layers in the first premolar, 967–973
ANWR, *see* Arctic National Wildlife Refuge
APHIS, *see* Animal, Plant, and Health Inspection Service
Apocynum androsaemifolium, see Dogbane, spreading
Apple, Asiatic crab: 451
Apples: 53, 235
Approach distance:
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
Aquila chrysaetos, see Eagle, golden
Arabian Peninsula: 1142
Arcese, Peter, and A. R. E. Sinclair. The role of protected areas as ecological baselines, 587–602
Archilochus colubris, see Hummingbird, ruby-throated
Arctic National Wildlife Refuge:
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1067
Arctostaphylos spp., *see* Manzanita
Argentina: 507
Aristida spp., *see* Three-awn
Arizona: 577, 1319
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Arkansas:
denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
Armadillo, nine-banded: 257
Arnica, broadleaf: 1039
Arnica latifolia, see Arnica, broadleaf
Arnold, Todd W., *see* Anderson, Michael G.
Artemisia filifolia, see Sagebrush, sand
Artemisia spp., *see* Sagebrush
Artemisia tridentata, see Sagebrush, big
Artificial nest:
edge-related nest losses in Wisconsin pine barrens, 1234–1239
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Ascaphus truei, see Frog, tailed
Ash, black: 1372
Ash, mountain: 1036, 1039, 1068
Ash, prickly: 107
Ash, showy mountain: 1371
Ash, white: 106
Asio flammeus, see Owl, short-eared
Asleson, Mark A., Eric C. Hellgren, and Larry W. Varner. Effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
Aspen:
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
Aspen, large tooth: 469, 518
Aspen, quaking, *see* Aspen, trembling
Aspen, trembling: 27, 106, 130, 333, 469, 518, 896, 1041, 1228, 1235, 1314, 1371
Aster: 1135
Astragalus spp.: 1135
Athyrium filix-femina, see Fern, lady
Atkinson, Stephen N., *see* Cattet, Marc R. L.
ATP, *see* Adinotriphosphate
Atriplex confertifolia, see Shadscale
Atriplex polycarpa, see Saltbush, desert
Audubon National Wildlife Refuge: 809
Auklets, Cassin's: 377
Australia: 1453
diggings as a population index for the eastern barred bandicoot, 1378–1383
Autocorrelation:
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Avalanche chutes:
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039

Avens, mountain: 1155
Aversive agents:
a test of aversivie agents on wolverines, 510–516
Avery, Michael L., John S. Humphrey , and David G. Decker. Feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Avian diversity:
a critical analysis on the use of indicator species in management, 1240–1253
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
Avian repellent:
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Aythya affinis, see Scaup, lesser
Aythya americana, see Redhead
Aythya collaris, see Duck, ring-necked
Aythya marila, see Scaup, greater
Aythya spp., *see* Duck, diving
Aythya valisineria, see Canvasback

B

Backensto, Stacia A., *see* Ortega, Catherine P.
Baiomys taylori, see Mouse, Taylor's pygmy
Baiting: 241, 466–480
Ball, Lianne C., *see* Brussard, Peter F.
Balsamorhiza sagittata, see Balsamroot, arrowleaf
Balsamroot, arrowleaf: 1039
Baltic Sea: 413
Band, leg: 184, 217
Bandicoot, eastern barred:
diggings as a population index for the eastern barred bandicoot, 1378–1383
Bandicoot, southern brown: 1379
Banding:
testing for handling bias in survival estimation for black brant, 782–791
Barberry, creeping: 1039
Barclay, John S., *see* Perkins, Christopher R.
Barclay, Robert M. R., *see* Vonhof, Marten J.
Barnes, D. M., and A. U. Mallik. Habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Barnes, K. L., *see* Barnes, R. F. W.
Barnes, R. F. W., K. Beardsley, F. Michelmore, K. L. Barnes, M. P. T. Alers, and A. Blom. Estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
Barriers:
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
Bartramia longicauda, see Sandpiper, upland
Basal area:
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Baseline reserves:
the role of protected areas as ecological baselines, 587–602
Bass, striped: 1001
Basswood: 106
Bat, big brown:
selection of maternity roosts by big brown bats, 359–368
Bat, long-eared:
use of tree stumps as roosts by the western long-eared bat, 674–684
Bat boxes: 359, 367
Bay of Fundy:
satellite-monitored movements of the northern right whale, 1393–1405
Bayne, Erin M., and Keith A. Hobson. Temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Bayesian statistics: 278, 999
BBS, *see* Breeding Bird Survey
Bear, Asiatic black: 478
Bear, black: 12–25, 460, 541, 1080, 1228
denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
validation of ^{22}sodium to estimate food intake of bears, 52–56
Bear, brown: 478, 511, 541, 547, 1079
Bear, grizzly: 460, 1450
density dependence, compensation and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
validation of ^{22}sodium to estimate food intake of bears, 52–56
Bear, polar:
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
predicting body mass in polar bears: is morphometry useful?, 1083–1090
Bears, problem: 1075, 1078
Beardsley, K., *see* Barnes, R. F. W.
Beaver: 460, 793, 896
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Becker, Earl F., *see* Modafferi, Ronald D.
Beech: 160

Beechnut: 1072
Beetle, mountain pine: 480
Behavior:
a comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
bed-site characteristics of pronghorn fawns, 1134–1141
bird reactions to observer clothing colors: implications for distance-sampling techniques, 935–947
effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
flushing responses of wintering bald eagles to military activity, 1307–1313
is social learning an important influence on foraging behavior in white-tailed deer? 611–621
local movements of color-marked common loons, 1253–1261
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Beiser, Julia A., *see* Lokemoen, John T.
Belant, Jerrold L., Laura A. Tyson, Thomas W. Seamans, and Sheri K. Ickes. Evaluation of lime as an avian feeding repellent, 917–924
Benzoquinones: 1359
Berberis repens, see Barberry, creeping
Berdeen, James B., *see* Krementz, David G.
Bering Sea: 217
Berry, buffalo: 481
Berry, straw: 492
Berry, whortle: 481
Betula alleghiensis, see Birch, yellow
Betula fontinalis, see Birch, river
Betula glandulosa, see Birch, dwarf
Betula lutea, see Birch, yellow
Betula papyrifera, see Birch, paper
Bias:
accuracy of GPS telemetry collar locations with differential correction, 530–539
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Bias, observer:
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
Bias, perception: 63
Bias, sex-age: 466–480
Bias, visibility:
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
visibility bias on counts of nesting Canada geese, 768–772
Bielefeldt, John, and Robert N. Rosenfield. Reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Bighorn Canyon National Recreation Area: 863
Biobullets: 9
Biodiversity: 573–577
Biodiversity conservation: 573
Biofuels: 171
Biological diversity: 1443
Biological half life: 55
Biomarker:
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
Biophilia: 1444
Birch, dwarf: 1155
Birch, paper: 469, 1314
Birch, river: 949, 1372
Birch, white: 518, 896, 1371
Birch, yellow: 107, 896
Bird community:
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
Bird control:
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
estimation of effective area of bird scarers, 925–934
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Birds, aquatic:
selenium in aquatic birds from central California, 832–839
Birds, neotropical: 978–982
Birds, wetland:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Birth weight:
early development of supplementally fed, free-ranging elk, 26–39
Biscuitroot: 1036
Bison: 14, 57, 490, 583, 1223
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
Biswell, Brian L., *see* Carey, Andrew B.
Bite size:
is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
Bitterbrush: 482, 550, 553, 555–558, 874
Bittern, American:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Black, Jeffery M., Ann P. Marshall, Andre Gilburn, Nelson Santos, Howard Hoshide, John Medeiros, Joaquin Mello, Cathleen Natividad Hodges, and Larry Katahira. Survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
Blackberry: 1379

Blackbird, red-winged: 236, 320, 792, 951, 1359, 1362
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Blackbird, yellow-headed: 102–103, 1359
Blackbrush: 551, 553
Blackgum: 160
Bladderpod: 1414
Blarina brevicauda, see Shrew, short-tailed
BLM, *see* Bureau of Land Management
Blom, A., *see* Barnes, R. F. W.
Blood:
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Blood samples: 53
Blood test: 4
Blueberry: 1235
Blueberry, early low: 160
Bluebirds, eastern: 805
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
Bluestem: 1235
Bluestem, big: 322
Bluestem, little: 847
Bluestem, sand: 847
Boats:
flushing responses of wintering bald eagles to military activity, 1307–1313
Bob Marshal Wilderness: 1032
Bobcat: 113, 373, 503, 1331, 1426
Bobolink: 176, 318
Bobwhite, masked: 295, 861
Bobwhite, northern: 318, 911, 1236, 1366
a philosophy of habitat management for northern bobwhites, 291–301
northern bobwhite restocking in east Texas: a genetic assessment, 854–863
survival of northern bobwhite chicks in western Oklahoma, 846–853
Boca Chica Keys: 87
Bodkin, James L., Jack A. Ames, Ronald J. Jameson, Ancel M. Johnson, and Gary M. Matson. Estimating age of sea otters with cementum layers in the first premolar, 967–973
Body condition:
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419
Body mass:
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419
effects of radiocollars on San Joaquin kit foxes, 1412–1423
predicting body mass in polar bears: is morphometry useful?, 1083–1090
Bombay Hook National Wildlife Refuge: 1213
Bombycilla cedrorum, see Waxwing, cedar
Bonasa umbellus, see Grouse, ruffed
Boreal:
a simple wetland habitat classification for boreal forest waterfowl, 746–757
Boreal forest:
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Bortolotti, Gary R., *see* Dawson, Russell D.
Bos bison, see Bison
Botaurus lentiginosus, see Bittern, American
Bottlebrush squirreltail: 77, 95
Bottom-up modeling: 267
Bouteloua gracilis, see Grama, blue
Bouteloua hirsuta, see Grama, hairy
Bouteloua spp., *see* Grama
Boutin, Stan, *see* Bradshaw, Corey J. A.
———, *see* Stuart-Smith, A. Kari
Bowman, Timothy D., Philip F. Schempf , and John I. Hodges. Bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
Boyce, Mark S., *see* Niemuth, Neal D.
Boyd, Diane K., *see* Pletscher, Daniel H.
Boyle, Carolyn R., *see* Demarest, Dean W
Bradshaw, Corey J. A., *see* Stuart-Smith, A. Kari
———, Stan Boutin, and Daryll M. Hebert. Effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
Brakhage, David H., *see* Eggeman, Diane R.
Brand, Christopher, *see* Rocke, Tonie E.
Brant, Atlantic: 788
Brant, black: 413
testing for handling bias in survival estimation for black brant, 782–791
Branta bernicla nigricans, see Brant, black
Branta canadensis, see Geese, Canada
Branta canadensis interior, see Geese, interior Canada
Branta canadensis minima, see Geese, cackling Canada
Branta leucopsis, see Geese, barnacle
Branta sandvicensis, see Geese, Hawaiian
Brasenia schreberi, see Watershield
Brazeau, Daniel, *see* Giesel, James T.
Breeding Bird Survey: 1197
monitoring songbird population change with autumn mist netting, 389–396
Breeding ecology:
frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
Breeding success:
reproductive success of bald eagles in interior Alaska, 1313–1321
survival, movements, and breeding of released Ha-

waiian geese: an assessement of the reintroduction program, 1161–1173
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Brennan, Leonard A., *see* Demarest, Dean W
British Columbia: 989
population dynamics of a recolonizing wolf population, 459–465
use of tree stumps as roosts by the western long-eared bat, 674–684
Brittingham, Margaret, *see* Williams, Lisa M.
Broad survival:
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Broma spp.: 553
Brome, red: 1414
Bromus madritensis, see Brome, red
Bromus spp: 352
Bromus tectorum, see Grass, cheat
Brood parasitism:
edge-related nest losses in Wisconsin pine barrens, 1234–1239
reexaminatin of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Brood rearing:
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
Brood-rearing period:
survival of northern bobwhite chicks in western Oklahoma, 846–853
Brooks Range Divide: 1057
Brown, Janine L. Fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Brown, Patrick, W., *see* Krementz, David G.
Brownian movement: 67
Browse:
use of warm-season food plots by white-tailed deer, 1108–1115
Brucella abortus, see Brucellosis
Brucellosis:
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Bryant, Fred C., *see* Canon, S. Kemble
Bubo virginianus, see Owl, great horned
Bucephala albeola, see Bufflehead
Bucephala clangula, see Goldeneye, common
Bucephala islandica, see Goldeneye, Barrow's
Buckthorn, common: 106
Buffalo, African: 263
Bufflehead: 406
Bulrush: 414
Bulrush, saltmarsh: 398
Bulrush, Tule: 229
Bunck, Christine M., *see* Paveglio, Fred L.
Bunting, indigo: 159, 163–166, 1244, 1246, 1252
Bureau of Land Management: 141, 152, 1115, 1117
Burnham, Kenneth P., *see* Van Horne, Beatrice
Burrow counts:
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
Bush, cheese: 1414
Bush, creosote: 1135
Buskirk, Steven W., *see* Fitzsimmons, Nancy N.
Buteo jamaicensis, see Hawk, red-tailed
Buteo lineatus, see Hawk, red-shouldered
Buttonbush: 802
Bylot Island: 413, 418

C

Cade, Brian S. Comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Caesar Kleberg Wildlife Research Institute: 1099
Cafentanil citrate: 541
Cairina moschata, see Ducks, Moscovy
Cairinini:
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Caithamer, David F., *see* Johnson, Fred A.
Calamagrostis canadensis, see Grass, bluejoint reed
Calamagrostis rubescens, see Grass, pine reed
Calambokidis, John, see Laake, Jeffery L.
CALHOME: 1033
Calidris maritima, see Sandpiper, purple
California: 57, 146, 178, 1319
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
effects of radiocollars on San Joaquin kit foxes, 1412–1423
fecal indicators, diet, and population parameters in mule deer, 550–560
selenium in aquatic birds from central California, 832–839
translocation as a nonlethal alternative for managing California ground squirrel, 351–359
Call counts:
evaluation of pheasant crowing rates as a population index, 1338–1344
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Calluna vulgaris, see Heather
Calocedrus decurrens, see Cedar, incense
Calvert, Wendy, *see* Derocher, Andrew E.
Camargue:
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
Cameron National Wildlife Refuge: 437
Campa III, Henry, *see* Van Deelen, Timothy R.
Camponotus spp., *see* Ants
Canachites canadensis, see Grouse, spruce
Canada: 206, 359, 459, 463, 494, 497, 1037, 1084, 1128, 1319

timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Canadian Wildlife Service: 435
Canary Islands: 249
Canaveral National Seashore:
comparisons of lethal and nonlethal techniques to reduce raccoon depredation of sea turtle nests, 368–376
Cancer: 1008
Canids:
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Canine parrovirus: 1025
Canis familiaris, see Dog
Canis familiaris dingo, see Dingo
Canis latrans, see Coyote
Canis lupus, see Wolf
Canis rufus, see Wolf, red
Canning River: 1057
Canon, S. Kemble, and Fred C. Bryant. Bed-site characteristics of pronghorn fawns, 1134–1141
Canonical correspondence analysis:
a simple wetland habitat classification for boreal forest waterfowl, 746–757
Canopy closure:
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
Canopy cover:
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Canopy type: 533
Canvasback: 448, 761, 816, 823
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
Cap Tournamente National Wildlife Area: 413–419
Capsaicin: 512–513
Captive animal management: 974–975
Captive animals: 580
Captivity:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351.
Capture-mark-recapture:
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
Capurro, Angel F., André J. Novaro, Alejandro Travaini, and Marta S. Romero. Improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
———, *see* Fernández, Gustavo J.
Carcasses:
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
Cardinal, northern: 164–165, 940–943
Cardinalis cardinalis, see Cardinal, northern
Carduelis pinius, see Siskin, pine
Carduelis tristis, see Goldfinch, American
Caretta caretta, see Turtle, loggerhead
Carex geyeri: 482
Carex rossi: 482
Carey, Andrew B., Todd M. Wilson, Christine C. Maguire, and Brian L Biswell. Dens of northern flying squirrels in the Pacific Northwest, 684–699
Carfentanil citrate: 1118
Caribou: 22
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
Caribou, woodland:
effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Carnivores, neotropical:
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Carpinus caroliniana, see Ironwood
Carpodacus purpureus, see Finch, purple
Carrel, William K., Richard A. Ockenfels, Jennifer A. Wennerlund, and James C. Devos, Jr. Topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Carex spp., *see* Sedge
Carya spp., *see* Hickory
Castor canadensis, see Beaver
Cat: 1161
Catbird, gray: 725–726, 728, 734
Catharus fuscescens, see Veery
Catharus guttatus, see Thrush, hermit
Catharus ustulatus, see Thrush, Swainson's
Cattail: 793, 802
Cattail, southern: 229
Cattet, Marc R. L., Stephen N. Atkinson, Susan C. Polischuk, and Malcolm A. Ramsay. Predicting body mass in polar bears: is morphometry useful?, 1083–1090
Cattle:
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Causation: Logic and science in wildlife biology, 1007–1015
Cavity:
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
dens of northern flying squirrels in the Pacific Northwest, 684–699
use of tree stumps as roosts by the western long-eared bat, 674–684
Cavity-nesting:
frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Ceanothus greggii, see Ceanothus, Gregg's
Ceanothus, Gregg's: 553

***Ceanothus* spp.:** 343
***Ceanothus velutinus*:** 555, 558
Ceanothus velutinus, see Snowbrush
Cedar, incense: 141, 152, 1281
Cedar, western red: 141, 378, 1117
Cedar, white: 107, 896
Cementum:
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
estimating age of sea otters with cementum layers in the first premolar, 967–973
Cenchrus ciliaris, see Grass, buffel
Census:
a survey for mallard pairs in the Atlantic Flyway, 1191–1198
comparison of two methods to estimate density of an endangered lagomorph, 86–92
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
local movements of color-marked common loons, 1253–1261
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
Central Flyway Council: 758
Central hardwood forest:
forest bird response to regeneration practices in central hardwood forests, 159–171
Cephalanthus occidentalis, see Buttonbush
Cepphus columba, see Pigeon guillemots
Ceratotherium, see Rhinoceros
Certhis familiaris, see Creeper, brown
Cervids: 1104
Cervus elaphus, see Elk
Cervus elaphus nannodes, see Elk, Tule
Cervus elaphus roosevelti, see Elk, Roosevelt
Cetacean:
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
Chaco Region:
identification of cougar and jaguar feces through bile acid chromatography, 506–510
Chaetodipus baileyi, see Mouse, Bailey's pocket
Chaetodipus pennicillatus, see Mouse, desert pocket
Chambers, Carol L., *see* Cole, Elizabeth C.
Chapin, Theodore G., Daniel J. Harrison, and David M. Phillips. Seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Charadrius vociferus, see Killdeer
Chassy, Lisa, *see* McShea, William J.
Chat, yellow-breasted: 159, 163–166, 169
Cheeseman, Chris., *see* Jones, Ainsley
Cheetah: 246
Chelgren, Nathan D., *see* Sedinger, James S.
Chelonia mydas, see Turtle, green
Chen caerulescens, see Geese, snow
Chen caerulescens atlantica, see Geese, greater snow
Chen canagica, see Geese, emperor
Chenodeoxicholic acid: 507–509
Chequamegon National Forest: 1240
Cherry: 1235
Cherry, choke: 1039, 1372
Cherry, pin: 106, 1371
Chick: Survival of northern bobwhite chicks in western Oklahoma, 846–853
Chickadee, black-capped: 176, 725–727, 735, 1244, 1252
Chickadee, boreal: 724, 726, 735
Chickadee, Carolina: 164–165, 940–943
Chickadee, chestnut-backed: 273
Chihuahuan Desert: 1138
Chinook: 1314
Chipmunk: 951
Chipmunk, least: 95
Chiroptera: Use of tree stumps as roosts by the western long-eared bat. 674–684
Cholesterol: 507–509
Cholic acid: 507–509
Chordeiles minor, see Nighthawk, common
Choristoneura fumiferana, see Spruce budworm
Christian, Donald P., Patrick T. Collins, Joann M. Hanowski, and Gerald J. Niemi. Bird and small mammal use of short rotation hybrid poplar plantations, 171–182
Chromatography, thin-layer:
identification of cougar and jaguar feces through bile acid chromatography. 506–510
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Chrysocyon brachyurus, see Wolf, maned
***Chrysopogon aucheri*:** 1145
Chrysothamnus spp., *see* Rabbitbrush
Chukchi Sea: 217
Churchill, Manitoba:
visibility bias on counts of nesting Canada geese, 768–772
Cicely, sweet: 490, 1039
Cienaga:
effects of livestock grazing on small mammals at a desert cienaga, 123–129
Cinnamaldehyde: 512–513
Circus cyaneus, see Harrier, northern
Cistothorus palustris, see Wren, marsh
Cistothorus platensis, see Wren, sedge
Citrol: 511–514
Clark, Larry. Dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358.
Clark, William R., *see* Perkins, Anjeanette L.
Classification:
a critical analysis on the use of indicator species in management, 1240–1252
Claybelt:
a simple wetland habitat classification for boreal forest waterfowl, 746–757

Claytonia lanceolata, see Spring beauty
Clean Water Act: 575
Clearcut: 140, 145–148, 343
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
forest bird response to regeneration practices in central hardwood forests, 159–171
use of tree stumps as roosts by the western long-eared bat, 674–684
Cole, Elizabeth C., William C. McComb, Michael Newton, Carol L. Chambers, and J. P. Leeming. Response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Clethrionomys gapperi, see Vole, red-backed
Climatic: 1041
Climbing rate:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
***Clintonia uniflora*:** 1039
Clover, white: 53
Clum, Nancy J., *see* Mora, Miguel A
Clutch size: 191, 252–253, 292
Cobb, David T., and Phillip D. Doerr. Eastern wild turkey reproduction in an area subjected to flooding, 313–317
Coccolaba uvifera, see Grape, sea
Coccyzus americanus, see Cuckoo, yellow-billed
Coccyzus erythropthalmus, see Cuckoo, black-billed
Coconino National Forest: 336–338, 340
Cohen, Yosef, *see* Moen, Ron
Cohort:
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Colaptes auratus, see Flicker, northern
Cole, Eric K., Michael D. Pope, and Robert G. Anthony. Effects of road management on movement and survival of Roosevelt elk, 1115–1126
Coleogyne rammosissima, see Blackbrush
Colinus virginianus ridgwayi, see Bobwhite, masked
Colinus virginianus, see Bobwhite, northern
Collar, neck: 196
Collins, Patrick T. *see* Christian, Donald P.
Colonization: 140
Colorado: 34, 327, 330, 332, 334, 1319
effect of research activity on the success of American robin nests, 948–952
Columba livia, see Pigeon
Columba palumbus, see Pigeon, wood
Columbia River: 989–993
Commelina erecta, see Dayflower, erect
Community ecology: 246, 571–573
Compensation: 1007, 1010–1011
effects of seasonal protein restriction on antlerogenesis and body mass in adult white-tailed deer, 1098–1107
Compensatory growth: 1105
Compensatory mortality: 13, 22–23, 191
Competition, interspecific:
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
Composition survey:
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Concord Naval Weapons Station: 352
Condition: 550–560
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Condition indices:
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Condylura cristata, see Mole, star-nosed
Conroy, Michael J., *see* Eggeman, Diane R.
Conservation biology: 144, 571, 580, 978–980, 982–983
relative effects of habitat loss and fragmentation on population extinction, 603–610
Conservation genetics:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Conservation goals:
the role of protected areas as ecological baselines, 587–602
Conservation Reserve Program: 171
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
ring-necked pheasant population genetic structure, 1332–1338
wetland use, settling patterns, and recruitment in mallards, 736–746
Contact repellent:
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Contaminants: 1449
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Contopus virens, see Wood-pewee, eastern
Contraception:
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
Contraceptive vaccine:
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Cooper River:
reproductive success of bald eagles in interior Alaska, 1313–1321
Cooper, S. M., *see* Spalinger, D. E.
Coot, American: 405, 761, 835–837
Core area: 281–282, 286–288
Corley, Juan C., *see* Fernández, Gustavo J.

Cormorant, double-crested: 1242–1244, 1252
Cornus alternifolia, see Dogwood
Cornus florida, see Dogwood
Cornus racemosa, see Dogwood
Cornus rugosa, see Dogwood
Cornus stolonifera, see Dogwood, red osier
Corridor: 118, 180
Corturnix japonica, see Quail, Japanese
Corvids:
edge-related nest losses in Wisconsin pine barrens, 1234–1239
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Corvus brachyrhynches, see Crow, American
Corvus corax, see Raven, common
Corvus frugilegus, see Rook
Corylus americana, see Hazelnut, American
Corylus cornuta, see Hazelnut, beaked
Corylus spp., *see* Hazelnut
Cottonwood: 124
Cottonwood, black: 1039
Cottonwood, narrowleaf: 949
Cougar: 460, 1116, 1424, 1426
identification of cougar and jaguar feces through bile acid chromatography, 506–510
Coughenour, Michael B., *see* Singer, Francis J.
Cover:
a philosophy of habitat management for northern bobwhites, 291–301
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
daytime habitat selection by cottontails in central Pennsylvania, 450–459
Cover type: 531, 1033–1035, 1037
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Cowardin, Lewis M., *see* Krapu, Gray L.
Cowbird, bronzed: 1294
Cowbird, brown-headed: 159, 163–165, 176, 235, 320, 718, 1244, 1247, 1252
edge-related nest losses in Wisconsin pine barrens, 1234–1239
evaluation of lime as an avian feeding repellent, 917–924
reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Cowpeas, iron and clay:
use of warm-season food plots by white-tailed deer, 1108–1115
Cox, Robert R. Jr., and Alan D. Afton. Use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Cox, Scott A., *see* DeMaso, Stephen J.
Coyote: 114, 244, 355, 460, 509, 515, 1040, 1053
density dependence, compensation, and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
Cranberry, highbush: 1068, 1228
Crane, sandhill: 1243, 1252
Creatinine: 1104
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Creeper, brown: 273, 724, 726, 735, 1242, 1244–1246, 1248, 1252
Crocuta crocuta, see Hyaena
Crop protection:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Cropland:
bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
Crotalus viridus, see Snake, rattle
Croton, Texas: 847, 1135
Croton texensis, see Croton, Texas
Crow, American: 159, 164–165, 168, 373, 792, 1236
Crowing rate:
evaluation of pheasant crowing rates as a population index, 1338–1344
CRP, *see* Conservation Reserve Program
Crypsis schoenoids, see Timothy, swamp
Cuckoo, black-billed: 724, 726, 728, 735
Cuckoo, yellow-billed: 164–165
Culling: 7
Culpeo:
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Cuticle scale patterns: 16
CWA, *see* Clean Water Act
Cyanocitta cristata, see Jay, blue
Cyanocitta stelleri, see Jay, Steller's
Cynomys ludovicianus, see Prairie dog, black-tailed
Cypher, Brian L. Effects of radiocollars on San Joaquin kit foxes, 1412–1423
Cypress: 316
Cypress, bald: 802

D

Dam: 989
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Dandelion: 489, 1039
Dasaypus novemciuctus, see Armadillo, nine-banded
Dawe, Neil K., *see* Ward, David H.
Dawson, Russell D., and Gary R. Bortolotti. Are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Dayflower, erect: 847
DDD, DDE, DDT:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Decision analysis:
a pragmatic approach to modeling for wildlife management, 261–270
valuation of experimental management options for ecological systems, 987–1006

Decision making:
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Decker, David G., *see* Avery, Michael L.
Deer, black-tailed, *see* Deer, mule
Deer, mule: 14, 53, 57, 460, 567, 1041, 1047, 1053, 1095, 1308
fecal indicators, diet, and population parameters in mule deer, 550–560
Deer, white-tailed: 318, 460, 550, 1041, 1366
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
Defecation rate: 89
Defenders of Wildlife: 573
Deficiencies:
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Delayed breeding: 397
DelGiudice, Glenn D., Rolf O. Peterson, and William M. Samuel. Trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
———, *see* Moen, Ron
Delisle, Jennifer M., and Julie A. Savidge. Avian use and vegetation characteristics of conservation reserve program fields, 318–325
Delmarva Peninsula:
winter movements and habitat use by greater snow geese, 1213–1221
Delta Marsh: 222
Demarais, Stephen, *see* Allen, Craig R.
Demarest, Dean W., Richard M. Kaminski, Leonard A. Brennan, and Carolyn R. Boyle. Body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
DeMaso, Stephen J., Alan D. Peoples, Scott A. Cox, and Edward S. Parry. Survival of northern bobwhite chicks in western Oklahoma, 846–853
Demographic parameters: 140
Demography: 47
a philosophy of habitat management for northern bobwhites, 291–301
eastern wild turkey reproduction in an area subjected to flooding, 313–317
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
reproductive success of bald eagles in interior Alaska. 1313–1321
Den:
denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
dens of northern flying squirrels in the Pacific Northwest, 684–699
Denali National Park: 22, 1037
Dendragopus obscurus, see Grouse, blue
Dendroctonus ponderosae, see Beetle, mountain pine
Dendrocygna bicolor, see Duck, fulvous whistling
Dendrocygna viduata, see Duck, white-faced whistling
Dendroica caerulescens, see Warbler, black-throated blue
Dendroica castanea, see Warbler, bay-breasted
Dendroica coronata, see Warbler, yellow-rumped
Dendroica discolor, see Warbler, prairie
Dendroica dominica, see Warbler, yellow-throated
Dendroica fusca, see Warbler, blackburian
Dendroica magnolia, see Warbler, magnolia
Dendrocia palmarum, see Warbler, palm
Dendroica pensylvanica, see Warbler, chestnut-sided
Dendroica petechia, see Warbler, yellow
Dendroica pinus, see Warbler, pine
Dendroica striata, see Warbler, blackpoll
Dendroica tigrina, see Warbler, Cape May
Dendroica virens, see Warbler, black-throated green
Density:
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
design and results of a waterfowl breeding population survey for Wyoming, 758–767
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Density dependence: 32
density dependence, compensation, and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
Density estimation:
comparison of two methods to estimate density of an endangered lagomorph, 86–92
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
Density, vegetation:
daytime habitat selection by cottontails in central Pennsylvania, 450–459
Deoxicholic acid: 507–509
Depredation:
evaluation of lime as an avian feeding repellent, 917–924
Dermacentor albipictus, see Tick, winter
Dermal irritant:
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Dermochelys coriacea, see Turtle, leatherback

Derocher, Andrew E., Ian Stirling, and Wendy Calvert. Male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
Deschampsia cespitosa, see Grass, tufted hair
Descurainia spp., *see* Mustard
Desert:
effects of livestock grazing on small mammals at a desert cienaga, 123–129
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Determinate growth:
growth rates of American alligators in coastal South Carolina, 397–402
Detoxification:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Development: 1049–1050
Devil's club: 1032
Deviries, James H., *see* Paquette, Gil A.
Devos, Jr., James C., *see* Carrel, William K.
Dewalle, David R., *see* Althoff, Donald P.
Diaminopimmelic acid:
fecal indicators, diet, and population parameters in mule deer, 550–560
Dicamptodon tenebrosus, see Salamander, Pacific giant
Dichantheum foveolatum: 1145
Dickcissel: 176
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325.
Didelphis virginiana, see Opossum, Virginia
Dieldrin:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Diet:
a comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
fecal indicators, diet, and population parameters in mule deer, 550–560
Diet composition:
use of warm-season food plots by white-tailed deer, 1108–1115
Diet quality:
fecal indicators, diet, and population parameters in mule deer, 550–560
Diet selection:
is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
Dietary energy: 550
Dietz, Donald R., *see* Nedbal, Michael A.
Differential correction:
accuracy of GPS telemetry collar locations with differential correction, 530–539
Digging counts:
diggings as a population index for the eastern barred bandicoot, 1378–1383
Dimethyl trisulfid: 512–513
Dingo: 53
Dipodomys merriami, see Rat, Merriam's kangaroo
Dipodomys microps, see Rat, kangaroo
Dipodomys ordii, see Rat, kangaroo
Discriminant analysis:
denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
Disease: 246, 1448
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Disking:
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Dispersal: 1027
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
dispersal patterns of lynx in the Northwest Territories, 497–505
habitat selection by spotted owls during natal dispersal in western Oregon, 140–150
local movements of color-marked common loons, 1253–1261
population dynamics of a recolonizing wolf population, 459–465
Disporum hookeri, see Fairybell, hooker
Distance-sampling methods:
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
Distichilis spicata, see Grass, spike
Disturbance:
effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
effects of road management on movement and survival of Roosevelt elk, 1115–1126
flushing responses of wintering bald eagles to military activity, 1307–1313
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Diving behavior:
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
DNA:
ring-necked pheasant population genetic structure, 1332–1338
DNA, mitochondrial:
northern bobwhite restocking in east Texas: a genetic assesment, 854–863
Doerr, Phillip D., *see* Cobb, David T.
Dog: 244, 515, 1161
Dogbane, spreading: 1039
Dogwood: 160, 1068–1070
Dogwood, red osier: 106, 1228, 1371

Dolichonyx oryzivorus, see Bobolink
Dolichos lablab, see Lablab, rongai
Double-count:
visibility bias on counts of nesting Canada geese, 768–772
Dove, mourning: 176, 320, 1288
Dove, rufous turtle: 917
estimation of effective area of bird scarers, 925–934
Driessen, Michael M., *see* Mallick, Stephen A.
Dropseed, sand: 847
Drought: 21
wetland use, settling patterns, and recruitment in mallards, 736–746
Dryas integrifolia, see Avens, mountain
Drycopus pileatus, see Woodpecker, pileated
Dubovsky, James A., *see* Johnson, Fred A.
Duck, American black: 411, 751, 822, 1191, 1220
Duck, dabbling: 219, 405
Duck, diving: 405
Duck, fulvous whistling: 405
Duck, harlequin: 198
Duck, Moscovy: 1164
Duck, mottled: 407–408
Duck, redhead: 408, 761
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
Duck, ring-necked: 404, 408, 751, 761, 1242–1243, 1252
Duck, ruddy: 406, 408, 761
Duck, sea: 222
Duck, white-faced whistling:
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Duck, wood: 405, 751, 793, 953, 1192
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Dumetella carolinensis, see Catbird, gray
Dummy nests:
edge-related nest losses in Wisconsin pine barrens, 1234–1239
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Dung:
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
Dunn, Erica H., David J. Hussell, and Raymond J. Adams. Monitoring songbird population change with autumn mist netting, 389–396
Dwyer, Chris P., *see* Krapu, Gray L.
Dyer, Deanna L., *see* Knick, Steven T.
Dyssodia: 1135

E

Eagle, bald: 274, 380, 383, 1242–1243, 1252, 1294
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
flushing responses of wintering bald eagles to military activity, 1307–1313
reproductive success of bald eagles in interior Alaska, 1313–1321
Eagle, golden: 1057
Eastern Prairie Population:
visibility bias on counts of nesting Canada geese, 768–772
Eastman, Donald S., *see* Hartman, Lisa H.
Ecological processes:
the role of protected areas as ecological baselines, 587–602
Economics: 258–259, 975–976
valuation of experimental management options for ecological systems, 987–1006
Ecosystem management: 368–376
the role of protected areas as ecological baselines, 587–602
Ecotonal boundary:
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
Ectoparasites: Frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Edge density: 294
Edge effect:
edge-related nest losses in Wisconsin pine barrens, 1234–1239
Eelgrass, common: 779
Effect size:
statistical power analysis in wildlife research, 270–279
Effective area:
estimation of effective area of bird scarers, 925–934
Eggeman, Diane R., Fred A. Johnson, Michael J. Conroy, and David H. Brakhage. Evaluation of an aerial quadrat survey for monitoring wintering duck populations, 403–412
Eggs: 1228
effect of research activity on the success of American robin nests, 948–952
Eider, common: 219, 226
Eider, spectacled:
survival of spectacled eider adult females and ducklings during brood rearing, 217–221
EIS, *see* Environmental Impact Statement
Elaegnus umbellata, see Olive, autumn
Elasticity:
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Elder, red-berried: 1039
Electric Power Research Institute: 172
Electronic theodolites: 63
Elephant, African: 265
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393

Elk: 57, 259, 302, 460, 490, 550, 990, 1056, 1223
density dependence, compensation and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
early development of supplementally fed, free-ranging elk, 26–39
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
Elk, Rocky Mountain: 1115–1116, 1123
Elk, Roosevelt: 34
effects of road management on movement and survival of Roosevelt elk, 1115–1126
Elk, Tule: 1150
Elkie, Philip C., *see* Rempel, Robert S.
Elm, white: 104
Elymus arenarius, see Rye, beach
Elymus elymoides, see Bottlebrush squirreltail
Emery, Robert B., *see* Anderson, Michael G.
———, *see* Paquette, Gil A.
Empetrum spp, *see* Berries
Empidonax alnorum, see Flycatcher, alder
Empidonax flaviventris, see Flycatcher, yellow-bellied
Empidonax minimus, see Flycatcher, least
Empidonax trailii, see Flycatcher, Trail's
Empidonax virescens, see Flycatcher, Acadian
Endangered species: 249–251, 579
comparison of two methods to estimate density of an endangered lagomorph, 86–92
computer simulation of vasectomy for wolf control, 1023–1031
diggings as a population index for the eastern barred bandicoot, 1378–1383
effects of radiocollars on San Joaquin kit foxes, 1412–1423
population dynamics of a recolonizing wolf population, 459–465
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
Endangered Species Act: 39, 217, 250, 368, 574
Endrin:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Energetic costs: 197
Energy:
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Energy, renewable: 171
Enhydra lutris, see Otter, sea
Ensatina escholtzii, see Ensatinas
Ensatinas:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Enteromorpha spp., *see* Algae
Environmental Impact Statement: 6
Environmental Protection Agency: 445
EPA, *see* Environmental Protection Agency
Ephedra nevadensis: 553
Epilobium angustifolium, see Fireweed
Epple, Gisela, *see* Wager-Page, Shirley A.
Eptesicus fuscus, see Bat, big brown
Equids:
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Equisetum arvense, see Horsetail, common
Equus ferus przewalkii, see Horse, Przewalski's
Equus caballus, see Horse, feral
Eremophila alpestris, see Lark, horned
Eretmochelys imbricata, see Turtle, hawkbill
Eriogonum, flattop: 1039
Eriogonum flavum, see Eriogonum, flattop
Ermine: 380
Erodium cicutarium, see Filaree, red-stemmed
***Erodium* spp.:** 352
Error, location:
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Error, measurement:
estimating age of sea otters with cementum layers in the first premolar, 967–973
predicting body mass in polar bears: is morphometry useful?, 1083–1090
Error, Type I: 403, 406, 410, 1003, 1016, 1018–1019
statistical power analysis in wildlife research, 270–279
Error, Type II: 567, 1004, 1016, 1018–1020
statistical power analysis in wildlife research, 270–279
Erythronium grandiflorum, see Lily, glacier
Estrous cycle:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Ethics: 974–975
Etorphine: 541
Eubalaena glacialis, see Whale, right
Eucalyptol: 511–514
Evans, Steven G., *see* Nedbal, Michael A.
Everglades, *see* Florida Everglades
Evers, David C., *see* Piper, Walter H.
Ex situ conservation: 580
Exclosures: 124
Exercise:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
Exotic species:
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
raccoon predation on ancient murrelets on East Limestone Island, British Columbia, 377–388
Experimental design:
statistical power analysis in wildlife research, 270–279

valuation of experimental management options for ecological systems, 987–1006
Experimental management:
valuation of experimental management options for ecological systems, 987–1006
Extinction:
relative effects of habitat loss and fragmentation on population extinction, 603–610
Exxon Valdez:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328

F

Fagus grandifolia, see Beechnut
Fagus spp., *see* Beech
Fahrig, Lenore, *see* Pedlar, John H
———. Relative effects of habitat loss and fragmentation on population extinction, 603–610
Fair, W. Scott, and Scott E. Henke. Effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Fairchild, Michael W., *see* Pletscher, Daniel H.
Fairybell, hooker: 1039
Falco femoralis, see Falcon, aplomado
Falco mexicanus, see Falcon, prairie
Falco peregrinus, see Falcon, peregrine
Falco sparverius, see Kestrel, American
Falcon, aplomado:
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Falcon, peregrine: 380
Falcon, praire: 1294
Fall migration:
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419
Fall staging:
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419
Fallow:
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Farley, Sean D. and Charles T. Robbins. Validation of ^{22}sodium to estimate food intake of bears, 52–56
Farm Bill:
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
Farming practices:
bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
Fawn recruitment:
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
Fecal bile acids:
identification of cougar and jaguar feces through bile acid chromatography, 506–510
Fecal nitrogen:
fecal indicators, diet, and population parameters in mule deer, 550–560
Fecal pellets:
comparison of two methods to estimate density of an endangered lagomorph, 86–92
fecal indicators, diet, and population parameters in mule deer, 550–560
Feces: 53
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
fecal steriodd profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
identification of cougar and jaguar feces through bile acid chromatography, 506–510
Fecundity: 146
Feeding:
effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
evaluation of lime as an avian feeding repellent, 917–924
winter movements and habitat use by greater snow geese, 1213–1221
Feed efficiency:
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
Feeding activity:
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Feeding deterrent:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Feeding, supplemental: 1108
early development of supplementally fed, free-ranging elk, 26–39
Felis concolor, see Cougar
Felis onca, see Jaguar
Fern, bracken: 1039
Fern, Christmas holly:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Fern, lady: 1039
Fern, sweet: 1235
Fern, sword: 1117
Fernández, Gustavo J., Juan C. Corley , and Angel F. Capurro. Identification of cougar and jaguar feces through bile acid chromatography, 506–510
Ferret, black-footed:
attributes of black-tailed prairie dog colonies in northcentral Montana, 664–673
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Ferret, domestic: 1432
Fertility:
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Fescue, Idaho: 1041

Festuca idahoensis, see Fescue, Idaho
Ficedula hypoleuca, see Flycatcher, pied
Fidelity: 197
Filaree, red-stemmed: 1414
Finch, purple: 724, 726–727, 735
Fir, balsam: 518, 896, 1228, 1371
Fir, Douglas: 137, 141, 152, 326, 337, 343–344, 347–348, 460, 485, 1039, 1041, 1117, 1282, 1308
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Fir, grand: 141
Fir, red: 551, 1281
Fir, subalpine: 27, 137, 460, 485, 1039, 1042
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Fir, white: 152, 337, 1282
Fire: 19, 93, 983, 1235
distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
Firehole Bear Management Area: 1053
Fireweed: 489, 1039
Fish hatcheries: 992
Fisher: 469, 1228
Fisheries: 990, 997, 1440
Fitzsimmons, Nancy N., Steven W. Buskirk, and Michael H. Smith. Genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Flathead River: 1032
Flicker, northern: 320, 725–728, 734, 1272
Flight speed:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
Flint, Paul L., and James B. Grand. Survival of spectacled eider adult females and ducklings during brood rearing, 217–221
———, *see* Grand, James B.
Flooding:
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Floodplain management:
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Florida: 293, 397, 990, 1319
comparisons of lethal and nonlethal techniques to reduce raccoon predation of sea turtle nests, 368–376
evaluation of an aerial quadrat survey for monitoring wintering duck populations, 403–412
Florida Everglades: 988–993
Florida Keys:
comparison of two methods to estimate density of an endangered lagomorph, 86–92
Flourensia cernua, see Tarbush
Fluoroscope: 229
Flushing:
flushing responses of wintering bald eagles to military activity, 1307–1313
Flycatcher, Acadian: 159, 163–165, 168, 169
reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Flycatcher, alder: 725–726, 728, 734, 1244, 1246, 1252
Flycatcher, great crested: 164–165, 176, 725, 734, 1268, 1272
Flycatcher, least: 725, 735, 1244, 1246, 1252
Flycatcher, olive-sided: 725–728, 734, 1242–1244, 1252
Flycatcher, pied: 805
Flycatcher, Traill's: 951
Flycatcher, yellow-bellied: 724, 726, 728, 735, 1240, 1243–1246, 1248, 1252
Flyway, Atlantic: 184, 222, 1174
a survey for mallard pairs in the Atlantic Flyway, 1191–1198
Flyway, Central: 205, 435
Flyway, Mississippi: 183, 205, 435, 1174
Flyway, Pacific: 183
Food:
a philosophy of habitat management for northern bobwhites, 291–301
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
Food habits:
a comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
Food intake: 52
Food plots:
use of warm-season food plots by white-tailed deer, 1108–1115
Food survey:
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
Foraging: 21, 36, 239
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
Foraging biomass: 21, 36, 239
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Forbs:
use of warm-season food plots by white-tailed deer, 1108–1115
Forest Ecosystem Management Assessment Team: 147
Forest fragmentation:
habitat selection by spotted owls during natal dispersal in western Oregon, 140–150
landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Forest habitat:
response of amphibians to clearcutting, burning,

and glyphosate application in the Oregon Coast Range, 656–664
Forest, old-growth: 343–347
Forest remnants:
raccoon habitat use at two spatial scales, 102–112
Forest, subalpine:
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Forest succession:
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
Forestry: 159, 1445
a critical analysis on the use of indicator species in management, 1240–1252
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
use of tree stumps as roosts by the western long-eared bat, 674–684
Formica spp., *see* Ants
Formicidae, *see* Ants
Forys, Elizabeth A., and Stephen R. Humphrey. Comparison of two methods to estimate density of an endangered lagomorph, 86–92
Foster, John R., John L. Roseberry, and Alan Woolf. Factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
Founder effect:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Fox, arctic: 218, 1205
Fox, gray: 355, 1331
a comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
Fox, red: 241, 385, 514, 896, 951
Fox, San Joaquin kit:
effects of radiocollars on San Joaquin kit foxes, 1412–1423
Fox, South American gray:
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Fragaria spp., *see* Berry, straw
Fragmentation:
relative effects of habitat loss and fragmentation on population extinction, 603–610
Fraser Experimental Forest: 327, 330, 332, 334
Fratercula cirrhata, *see* Puffin, tufted
Fraxinus americana, *see* Ash, white
Fraxinus nigra, *see* Ash, black
Frederick, Robert B., *see* Hill, Michael R. J.
Frog:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Frog, red-legged:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon coast range, 656–664
Frog, tailed:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon coast range, 656–664
Frog, Yorkshire: 1164
Fruit:
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
Fulbright, Timothy E., *see* Hehman, Michael W.
Fulica americana, *see* Coot, American
Functional response:
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
Fungus, red-heart: 1268

G

Gabon:
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
Gabor, Shane, *see* Rempel, Robert S.
Gadawaski, Ted R., *see* Rempel, Robert S.
Gadwall: 761, 792
brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
Ganey, Joseph L., *see* Grubb, Teryl G.
Garlic: 512–513
Garrison Reservoir:
brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
Garshelis, David L., and Larry G. Visser. Enumerating megapopulations of wild bears with an ingested biomarker, 466–480
———, *see* Noyce, Karen V.
Gaston, Anthony J., *see* Hartman, Lisa H.
Gaultheria shallon, *see* Salal
Gavia immer, *see* Loon, common
Geese:
testing for handling bias in survival estimation for black brant, 782–791
Geese, barnacle: 413, 778
Geese, cackling Canada: 219
Geese, Canada: 751, 761, 778, 1192, 1214
clinal size variation in Canada geese affects morphometric discrimination techniques, 183–190
evaluation of lime as an avian feeding repellent, 917–924
visibility bias on counts of nesting Canada geese, 768–772

Geese, emperor: 778
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
Geese, giant Canada: 917
Geese, greater snow:
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419
winter movements and habitat use by greater snow geese, 1213–1221
Geese, Hawaiian:
survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
Geese, interior Canada: 183
Geese, lesser snow: 413, 782, 1215
Geese, snow: 198, 252–255, 442, 778
winter movements and habitat use by greater snow geese, 1213–1221
Geese, white-fronted: 768
Genetics: 251–252
ring-necked pheasant population genetic structure, 1332–1338
Genetic drift:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Genetic variability:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Geographic distribution: 570
Geographic variation:
clinal size variation in Canada geese affects morphometric discrimination techniques, 183–190
Geographical information system: 17, 42, 153, 173, 267, 1021, 1091, 1096, 1119
a simple wetland habitat classification for boreal forest waterfowl, 746–757
attributes of black-tailed prairie dog colonies in northcentral Montana, 664–673
distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Geomys bursarius, see Gopher, pocket
Georgia: 397
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
Geothylpis trichas, see Yellowthroat, common
Gibbs, James P., and Scott M. Melvin. Power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Giesel, James T., Daniel Brazeau, R. Koppelmann, and D. Shiver. Ring-necked pheasant population genetic structure, 1332–1338
Gilburn, Andre, *see* Black, Jeffery M
Gilia: 1135
GIS, *see* Geographical information system
Gizzard: 230
Glacier National Park: 1037
population dynamics of a recolonizing wolf population, 459–465
Glaucomys sabrinus, see Squirrel, northern flying
Glaucomys volans, see Squirrel, southern flying
Global positioning system: 59, 65, 1021, 1058
accuracy of GPS telemetry collar locations with differential correction, 530–539
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Global warming: 571
Glock, Micheal J., *see* Rempel, Robert S.
Glucuronic acid:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Gnatcatcher, blue-gray: 163–165, 168
Gobbling:
chronology wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
Goethermal: 1045
Golden chinkapin: 152
Goldeneye, Barrow's: 761
Goldeneye, common: 406, 761
Goldfinch, American: 320, 725–726, 734, 1244, 1247, 1252
Gonadal activity:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Gopher, pocket: 180, 235
Gorse: 1379
Goshawk, northern: 148, 1242–1244, 1252
GPS, *see* Global positioning system
Grackle, boat-tailed:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Grackle, common: 236, 725–726, 734, 793
Grackle, great-tailed: 1288, 1294
Gradient:
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
Graham Island: 378
Grama: 1135
Grama, blue: 847
Grama, hairy: 847
Grand Canyon: 987
Grand, James B., Paul L. Flint, and Patricia J. Heglund. Habitat use by nesting and brood rearing

northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
———, *see* Flint, Paul L.
Grand Teton National Park: 3, 26
Grape, riverbank: 104
Grape, sea: 369
Grass:
evaluation of lime as an avian feeding repellent, 917–924
Grass, beach: 369
Grass, bermuda: 912
Grass, blue: 489
Grass, bluebunch wheat: 1041
Grass, bluejoint reed: 482
Grass, buffel: 1367
Grass, cheat: 76, 95
Grass, common bear: 1039
Grass, giant cord: 398
Grass, Indian: 322, 847
Grass, Kikuyu: 1163
Grass, klein: 1367
Grass, pine reed: 482
Grass, Sacaton: 124
Grass, saltmarsh cord: 1214
Grass, Sandberg's blue: 77, 93
Grass, smooth cord: 398
Grass, spike: 1220
Grass, switch: 322, 847
Grass, tufted hair: 1041
Grass, wheat: 489
Grasses, cool-season:
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
Grasses, warm-season:
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
Grassland: 1447
Grassland birds:
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
Grazing:
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Great Barrier Reef: 987, 990, 1004
Great Plains: 1041
Greater Yellowstone Ecosystem: 39, 1052–1053, 1319, 1450
density dependence,compensation and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
Greater Yellowstone's bison: unraveling of an early American wildlifeconservation achievement, 1–11
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Greater Yellowstone Interagency Brucellosis Committee: 2, 8
Grebe, pied-billed:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Green, Gerald I., David J. Mattson, and James M. Peek. Spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
Green, Roger, *see* Walter, Carl J.
Greenbriar: 131, 160
Greenwood, Raymond J., *see* Krapu, Gray L.
Grosbeak, evening: 725–726, 735
Grosbeak, rose-breasted: 724, 726, 734, 1244, 1246, 1252
Groundsel, arrowleaf: 1039
Group selection:
forest bird response to regeneration practices in central hardwood forests, 159–171
Group size: 1064
Grouse, blue: 130, 326
Grouse, ruffed: 724, 726, 734, 1242, 1244–1246, 1248–1249, 1252
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Grouse, sharp-tailed: 1237, 1242–1244, 1252
Grouse, spruce: 724, 726, 735, 1243–1244, 1252
Grove, Stacie L., *see* Hagan, John M.
Growth rate: 191
early development of supplementally fed, free-ranging elk, 26–39
growth rates of American alligators in coastal South Carolina, 397–402
Grubb, Teryl G., Joseph L. Ganey, and Sharon R. Masek. Canopy closure around nest sites of Mexican spotted owls in north central Arizona, 336–342
Grus canadensis, see Crane, sandhill
Gulf Coast:
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Gulf of Maine:
satellite-monitored movements of the northern right whale, 1393–1405
Gulkana River:
reproductive success of bald eagles in interior Alaska, 1313–1321
Gull, glaucous: 1206
Gull, glaucous-winged: 385
Gull, herring: 951
Gull, kelp: 1326
Gull, ring-billed: 813
Gulo gulo, see Wolverine
Gum: 316
Guthrey, Fred S. A philosophy of habitat management for northern bobwhites, 291–301
Gutierrez, R. J., *see* Moen, Christine A.
Gutzwiller, Kevin J., and Heidi A. Marcum. Bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
GYIBC, *see* Greater Yellowstone Interagency Brucellosis Committee

H

Habitat Conservation Areas: 147
Habitat management: 233
a philosophy of habitat management for northern bobwhites, 291–301
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Habitat suitability indices:
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Habituation:
estimation of effective area of bird scarers, 925–934
Haematopus bachmani, see Oystercatcher, black
Haematopus ostralegus, see Oystercatcher, Eurasian
Haemoproteus, see Parasites
Hagan, John M., Peter S. McKinley, Amy L. Meehan, and Stacie L. Grove. Diversity and abundance of landbirds in a northeastern industrial forest, 718–735
Haight, Robert G., and David Mech. Computer simulation of vasectomy for wolf control, 1023–1031
Hakim, Salah, *see* McShea, William J.
Haleakala National Park:
survival, movements, and breeding of released Hawaiian geese: an assessment of the reintroduction program, 1161–1173
Haliaeetus leucocephalus, see Eagle, bald
Handling effects:
testing for handling bias in survival estimation for black brant, 782–791
Hanowski, Joann M., *see* Christian, Donald P.
———, *see* Niemi, Gerald J.
Hansteen, Thomas L., Harry P. Andreassen, and Rolf A. Ims. Effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Hardwood:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Hare, snowshoe: 83, 235, 460, 896, 1228
dispersal patterns of lynx in the Northwest Territories, 497–505
Harrier, northern: 320–321, 1237
Harrison, Daniel J., *see* Chapin, Theodore G.
Harrison, Robert L. A comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
Hartigan, Jerry J., *see* Piper, Walter H.
Harting, Albert., *see* Singer, Francis J.
Hartman, Lisa H., Anthony J. Gaston, and Donald S. Eastman. Raccoon pedation on ancient murrelets on East Limestone Island, British Columbia, 377–388
Harvest composition:
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
Harvest management:
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
uncertainty and the management of mallard harvests, 202–216
Harvest policy: 990
Harvest quotas: 1091
Harvesting: 27, 202, 222
chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
dispersal patterns of lynx in the Northwest Territories, 497–505
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
Haufler, Jonathon B., *see* Van Deelen, Timothy R.
Hawaii Volcanoes National Park:
survival, movements, and breeding of released Hawaiian geese: an assessment of the reintroduction program, 1161–1173
Hawk: 982–983
Hawk, Cooper's: 1242–1244, 1252, 1331
Hawk, Harris: 128
Hawk Mountain Sanctuary: 982–983
Hawk, red-shouldered: 1243–1244, 1252, 1331
Hawk, red-tailed: 176, 354
Hawk, sharp-shinned: 724, 726, 735
Hawk, sparrow: 146
Hay, saltmarsh: 1220
Hayes, John P., *see* Steidl, Robert J.
Hayward, Bruce, Edward J. Heske, and Charles W. Painter. Effects of livestock grazing on small mammals at a desert cienaga, 123–129
Hazelnut: 1067
Hazelnut, American: 1068–1070, 1072, 1235
Hazelnut, beaked: 1228, 1372
Heather: 137
Hebert, Daryll M., *see* Bradshaw, Corey J. A.
Heglund, Patricia J., *see* Grand, James B.
Hehman, Michael W., and Timothy E. Fulbright. Use of warm-season food plots by white-tailed deer, 1108–1115
Helianthus annus, see Sunflower
Helianthus petiolaris, see Sunflower, prairie
Helicopter: 57
flushing responses of wintering bald eagles to military activity, 1307–1317
Hellgren, Eric C., *see* Asleson, Mark A.
Helmitheros vermivorus, see Warbler, worm-eating
Hematology:
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Hemlock, western: 378, 962, 1117
Hematocrit:
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306

Henke, Scott E., *see* Fair, W. Scott
Hepp, Gary R., *see* Utsey, Francis
Heracleum lanatum, see Parsnip, cow
Herbicide:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Herd composition counts:
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Heron, great blue: 1294
Herpestes auropunctatus, see Mongoose
Herpetofauna: 368
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Hershey, K. T., *see* Ripple, William J.
Heske, Edward J., *see* Hayward, Bruce
Hesperiphona vespertina, see Grosbeak, evening
Heterogeneity:
testing for handling bias in survival estimation for black brant, 782–791
Heuchera cylindrica, see Alumroot, roundleaf
Heusmann, H. W., and John R. Sauer. A survey for mallard pairs in the Atlantic Flyway, 1191–1198
Hewitt, David G., and Roy Kirkpatrick. Ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Hexachlorobenzene:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Hickory: 160, 333
Hill, Michael R. J., and Robert B. Frederick. Winter movements and habitat use by greater snow geese, 1213–1221
Himanyopus mexicanus, see Stilt, black-necked
Hirundo rustica, see Swallow, barn
Hissa, Raimo, *see* Putaala, Ahti
Histionicus histionicus, see Duck, harlequin
Hobson, Keith A., *see* Bayne, Erin M.
Hocking, Gregory J., *see* Mallick, Stepen A.
Hodges, John I., *see* Bowman, Timothy D.
Hoefs, Manfred, and Uli Nowlan. Comparison of horn growth in captive and free-ranging Dall's rams, 1154–1160
Holcus lanatus, see Frog, Yorkshire
Holistic Resource Management: 583
Holodiscus dicolor, see Oceanspray
Home range: 77, 102
a comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
effects of road management on movement and survival of Roosevelt elk, 1115–1126
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Honeycutt, Rodney L., *see* Nedbal, Michael A.
Honeysuckle: 131
Honeysuckle, Japanese: 456
Honeysuckle, Tartarian: 451
Hooper, Robert G., *see* Loeb, Susan C.
Hormones:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Horn growth:
comparison of horn growth in captive and free-ranging Dall's rams, 1154–1160
Horse, feral:
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Horse, Przewalski's: 579–580
Horsetail, common: 482, 1039
Hoshide, Howard, *see* Black, Jeffery M.
Houston, C. Stuart, *see* Krementz, David G.
Howerter, David W., *see* Paquette, Gil A.
HSI, *see* Habitat suitability indices
Huckleberry, fool's: 1039
Huckleberry, globe: 50, 481, 1036–1037, 1039, 1117
Hudson Bay: 1084–1085
clinal size variation in Canada geese affects morphometric discrimination techniques, 183–190
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
visibility bias on counts of nesting Canada geese, 768–772
Hudson River: 989–990, 1001–1002, 1004
Human disturbance:
factors affecting predation of artificial nests in marshes, 792–800
Human effects:
the role of protected areas as ecological baselines, 587–602
Hummingbird, ruby-throated: 725–726, 734
Humphrey, John S., *see* Avery, Michael L.
Humphrey, Stephen R. *see* Forys, Elizabeth A.
Hungry Horse Reservoir: 1032
Hunter harvest:
factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
Hunting: 7, 202, 259
chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074

mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Hunting success:
factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
winter movements and habitat use by greater snow geese, 1213–1221
Hurricane Hugo: 1269
Hurst, George A., *see* Miller, Darren A
Hussell, David J., *see* Dunn, Erica H.
Hyaena: 53
Hydrography: 75
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Hylocichla mustelina, see Thrush, wood
Hymenoclea salsola, see Bush, cheese
Hyocholic acid: 507–509
Hyodeoxicholic acid: 507–509
Hypothesis testing:
statistical power analysis in wildlife research, 270–279
logic and science in wildlife biology, 1007–1015

I

Ickes, Sheri K., *see* Belant, Jerrold L.
Icteria virens, see Chat, yellow-breasted
Idaho: 1, 3, 5–8, 26, 57, 75, 92, 464, 1288
Illinois: 183, 292–294
factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
Immunocontraception:
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
Ims, Rolf A., *see* Hansteen, Thomas L.
Inbreeding depression: 246
Incubation:
chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
Indian poke: 1039
Indicator species:
a critical analysis on the use of indicator species in management, 1240–1252
Inference: 989
logic and science in wildlife biology, 1007–1015
Intake rate:
is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
Interagency Grizzly Bear Committee: 47, 481, 1064–1065
Interagency Grizzly Bear Study Team: 1042
Interagency Scientific Committee Report: 147
Interspecific competition:
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
Interspersion:
a philosophy of habitat management for northern bobwhites, 291–301
Invasive species:
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
Iowa:
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
ring-necked pheasant population genetic structure, 1332–1338
Iridoprocne bicolor, see Swallow, tree
Ironwood: 106
Irrigation:
selenium in aquatic birds from central California, 832–839
Isle Royale National Park: 246
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Isomeris arborea, see Bladderpod
Isoodon obesulus, see Bandicoot, southern brown
Isophenoxic acid: 241
Isotope: 54

J

Jackson elk herd: 27
Jackson Hole: 27
Jackson Hole Cooperative Elk Studies Group: 27
Jacobson, Harry A., *see* Oli, Madan K.
Jaguar: 1424
identification of cougar and jaguar feces through bile acid chromatography, 506–510
James Bay:
clinal size variation in Canada geese affects morphometric discrimination techniques, 183–190
Jameson, Ronald J., *see* Bodkin, James L.
Japan: 917
Jasper National Park: 1037
Jay, blue: 159, 164–165, 168, 725–726, 728, 734, 1244, 1246, 1252
Jay, gray: 724, 726, 735, 1228
Jay, scrub: 951
Jay, Steller's: 951
Jenny, J. Peter, *see* Mora, Miguel A.
Jiddat al-Harasis: 1143
Jobin, Benoît, and Jaroslav Picman. Factors affecting predation of artificial nests in marshes, 792–800

Johnson, Ancel M., *see* Bodkin, James L.
Johnson, Fred A., Clinton Moore, William L. Kendall, James A. Dubvosky, David F. Caithamer, James R. Kelley, Jr., and Byron K. Williams. Uncertainty and the management of mallard harvests, 202–216
———, *see* Eggeman, Diane R.
Jones, Ainsley, John Woods, Chris Cheeseman, Allan Nadian, and Robert Page. Two new iodinated compounds as serum markers in foxes, 241–245
Joynt, Brian L., *see* Paquette, Gil A.
Junco, dark-eyed: 391, 725–726, 734
Junco hyemalis, see Junco, dark-eyed
Juniper: 113
Juniperus monosperma, see Juniper

K

Kaiser, James L., *see* Stalmaster, Mark V.
Kalamazoo Nature Center: 390
Kalmia latifolia, see Laurel, mountain
Kaminski, Richard M., *see* Demarest, Dean W.
Kansas: 293
Kaplan-Meir:
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
Katahira, Larry, *see* Black, Jeffery M
Kehoe, F. Patrick, *see* Krementz, David G.
Keiter, Robert B. Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Kelley, James R, *see* Johnson, Fred A.
Kendall, William L., *see* Johnson, Fred A.
Kernel estimator:
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Kerr reservoir: 313, 315
Kestrel, American:
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
Kettle Moraine State Forest: 1222
Kidney fat:
fecal indicators, diet, and population parameters in mule deer, 550–560
Kilbride, Kevin M., *see* Paveglio, Fred L.
Kill rate:
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
Killdeer: 320, 1237, 1294
Kingbird, eastern: 176, 320
Kingbird, tropical: 1294
Kinglet, golden-crowned: 391, 393–394, 724, 726, 728, 735, 1244, 1246, 1252
Kinglet, ruby-crowned: 724, 726, 728, 735, 940–943
Kirkpatrick, Jay F., *see* McShea, William J.
———, *see* Turner, John W. Jr.
Kirkpatrick, Roy L., *see* Hewitt, David G.
Kjeldahl: 132, 552
Klamath mountains: 152
Klich, Margaret, *see* Piper, Walter H.
Kluane National Park: 1154
Knick, Steven T., and Deanna L. Dyer. Distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
———, *see* Van Horne, Beatrice
Kodiak Island: 1319
Koppelmann, R., *see* Giesel, James T.
Kozie, Karin D., *see* Steidl, Robert J.
Kraft, Kathy M., *see* Krapu, Gray L.
Kramer, Monique T., *see* Ratnaswamy, Mary J.
Krapu, Gary L., Raymond J. Greenwood, Chris P. Dwyer, Kathy M. Kraft, and Lewis M. Cowardin. Wetland use, settling patterns, and recruitment in mallards, 736–746
Kraschenninikovia lanata, see Winterfat
Kraus, Scott D., *see* Mate, Bruce R.
Krementz, David G., and James B. Berdeen. Survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
———, and Patrick W. Brown. Population dynamics of white-winged scoters, 222–227
Kucera, Thomas E. Fecal indicators, diet, and population parameters in mule deer, 550–560
Kuenzi, Amy J., *see* Van Vuren, Dirk
Kunkel, Kyran E., *see* Pletscher, Daniel H.

L

La Perouse Bay: 198
Laake, Jeffrey L., John Calambokidis, Steven D. Osmek, and David J. Rugh. Probability of detecting harbor porpoise from aerial surveys: estimating $g(0)$, 63–75
Lablab, rongai:
use of warm-season food plots by white-tailed deer, 1108–1115
Lacassine National Wildlife Refuge: 436
Lactuca serriola, see Lettuce, prickly
Lacustrine: 749
Lagopus lagopus, see Ptarmagin, rock
Laguna Atascosa National Wildlife Refuge: 1288
Lake Superior region:
computer simulation of vasectomy for wolf control, 1023–1031
Lamar River: 1041–1042
Land use:
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
wetland use, settling patterns, and recruitment in mallards, 736–746
Landa, Arild, and Bjørn Åge Tømmerås. A test of aversive agents on wolverines, 510–516
LANDSAT: 1033
Landscape ecology:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
California spotted owl habitat selection in the central Sierra Nevada, 1281–1287

distribution of black-tailed jackrabbit habitat determined by GIS in Southwestern Idaho, 75–85
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Larch: 460, 1039
Larch, western: 1039
Larix occidentalis, see Larch
Lark, horned: 321, 1294
Larrea tridentata, see Bush, creosote
Larus argentatus, see Gull, herring
Larus delawarensis, see Gull, ring-billed
Larus dominicanus, see Gull, kelp
Larus gaucescens, see Gull, glaucous-winged
Larus hyperboreus, see Gull, glaucous
Lasiurus hirsutus: 1145
Lattin, Peter D., *see* Ripple, William J.
Laurel, mountain:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Law: 573–577
Greater Yellowstone's bison, unraveling of an early American wildlife conservation achievement, 1–11
Law of dispersion: 294, 297
Lead pellets: 228
Lead poisoning: 217
site-specific lead exposure from lead pellet ingestion in sentinel mallards, 228–234
Lead toxicity: 228
Lead toxicosis: 230
Leafloor, James O., and Donald H. Rusch. Clinal size variation in Canada geese affects morphometric discrimination techniques, 183–190
Learning:
is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Lebreton, Jean-Dominique, *see* Pradel, Roger
Lee, M. Clare, *see* Mora, Miguel A.
Leeming, J. P., *see* Cole, Elizabeth C.
Leider, Amy L., *see* Van Vuren, Dirk
Leopold, Aldo: 251
Leopold, Bruce D., *see* Miller, Darren A
———, *see* Oli, Madan K.
Lepus americanus, see Hare, snowshoe
Lepus californicus, see Rabbit, black-tailed jack
Lettuce, prickly: 570
Libocedrus decurrens, see Cedar, incense
Life history: 381, 581
growth rates of American alligators in coastal South Carolina, 397–402
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Life tables: 251
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Ligusticum spp., *see* Privet spp.
Likelihood ratio test:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
Lily, fragrant water: 802
Lily, glacier: 1036, 1039
Lima, Ann R., *see* Niemi, Gerald J.
Lime:
evaluation of lime as an avian feeding repellent, 917–924
Limited vehicle access:
effects of road management on movement and survival of Roosevelt elk, 1115–1126
Limpet: 1326
Lindberg, Mark S., *see* Sedinger, James S.
Lindzey, Frederick G., *see* Woolley, Timothy P.
Lion: 53
Lion, mountain, *see* Cougar
Lipid:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Lithocarpus densiflorus, see Oak, tan
Lithocholic acid: 507–509
Litigation: 2
Liu, Irwin K. M., *see* Turner, John W. Jr.
———, *see* McShea, William J.
Liver: 230
Livestock: 75
effects of livestock grazing on small mammals at a desert cienaga, 123–129
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Livetrap: 94
comparison of two methods to estimate density of an endangered lagomorph, 86–92
Lizard, Texas horned:
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Loeb, Susan C., and Robert G. Hooper. An experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
Logging: 993
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
forest bird response to regeneration practices in central hardwood forests, 159–171
response of amphibians to clearcutting, burning,

and glyphosate application in the Oregon Coast Range, 656–664
Logic:
logic and science in wildlife biology, 1007–1015
Lokemoen, John T., and Julia A. Beisser. Bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
Lomatium sandbergii, see Biscuitroot
Long Island Sound:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Lonicera japonica, see Honeysuckle, Japanese
Lonicera tatarica, see Honeysuckle, Tartarian
Loon, common: 750, 1242, 1252
local movements of color-marked common loons, 1253–1261
Lophodytes cucullatus, see Merganer, hooded
LORAN-C:
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Loredo, Ivetto, *see* Van Vuren, Dirk
Lotka-Volterra: 572
Lotus, American: 802
Louisiana: 232, 397
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Lovvorn, James R., *see* Prenzlow, Danielle M.
Lower Keys: 87
Lower Rio Grande Valley:
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Loxodonta africana, see Elephant, African
Lutra canadensis periclyzomae, see Otter, river
Lutz, R. Scott, *see* Allen, Craig R.
Luukkonen, David R., Harold H. Prince, and Ivan L. Mao. Evaluation of pheasant crowing rates as a population index, 1338–1344
Lynx: 514
dispersal patterns of lynx in the Northwest Territories, 497–505
Lynx lynx, see Lynx
Lynx rufus, see Bobcat
Lyphodytes cucullatus, see Merganser, hooded

M

Mace, Richard D., and John S. Waller. Spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
Mackenzie Bison Sanctuary:
dispersal patterns of lynx in the Northwest Territories, 497–505
Mackerel fishery: 249
Macroecology: 570–571
Magnuson Act: 576
Magpie: 1228
Magpie, black-billed: 951
Magpie, yellow-billed: 1231
Maguire, Christine C., *see* Carey, Andrew B.
Mahalanobis distance:
distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
Maine:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Mallard: 202, 228, 411, 751, 761, 764, 793, 823, 835–837
a survey for mallard pairs in the Atlantic Flyway, 1191–1198
brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
effects of transmitters on reproduction and survival of wild mallards, 953–961
wetland use, settling patterns, and recruitment in mallards, 736–746
Mallard, captive-reared: 229
Mallick, Stephen A., Michael M. Driessen, and Gregory J. Hocking. Diggings as a population index for the eastern barred bandicoot, 1378–1383
Mallik, A. U., *see* Barnes, D. M.
Malus spp., *see* Apples
Mammals, marine: 248–249
satellite-monitored movements of the northern right whale, 1393–1405
Mammals, small:
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
effects of livestock grazing on small mammals at a desert cienaga, 123–129
Mammals, southcentral: 256–258
Management costs: 997
Management intervention:
the role of protected areas as ecological baseline, 587–602
Manitoba: 206, 222
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
visibility bias on counts of nesting Canada geese, 768–772
Mannequin:
estimation of effective area of bird scarers, 925–934
Manzanita: 344
Mao, Ivan L., *see* Luukkonen, David R.
Maple: 160
Maple, bigleaf: 1117
Maple, Manitoba: 106
Maple, mountain: 1371
Maple, red: 106
Maple, Rocky Mountain: 1039
Maple, sugar: 106, 896
Maple, vine: 1117

Mapping:
a simple wetland habitat classification for boreal forest waterfowl, 746–757
Marcum, Heidi A., *see* Gutzwiller, Kevin J.
Marine Mammal Protection Act: 576
Mark Twain National Forest: 160
Mark-release-recapture: 191
effects of radiocollars on San Joaquin kit foxes, 1412–1423
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
survival, movements, and breeding of released Hawaiian geese: an assessment of the reintroduction program, 1161–1173
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
visibility bias on counts of nesting Canada geese, 768–772
Marking technique:
two new iodinated compounds as serum markers in foxes, 241–245
Markov decision process: 203
Marmot, yellow-bellied: 355
Marmota flaviventris, see Marmot, yellow-bellied
Marshall, Ann P., *see* Black, Jeffery M
Marshes:
a simple wetland habitat classification for boreal forest waterfowl, 746–757
factors affecting predation of artificial nests in marshes, 792–800
Marsupial:
diggings as a population index for the eastern barred bandicoot, 1378–1383
Marten: 326, 380
Marten, American:
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Martes americana, see Marten, American
Martes pennanti, see Fisher
Martin, D. J., *see* Spalinger, D. E.
Maryland: 293
Masek, Sharon R., *see* Grubb, Teryl G.
Mason, J. Russell, *see* Wager-Page, Shirley A.
Massachusetts: 1072
Mast:
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
Matchett, Randy, *see* Reading, Richard P.
Mate, Bruce R., Sharon L. Nieukirk, and Scott D. Kraus. Satellite-monitored movements of the northern right whale, 1393–1405
Maternity colonies:
selection of maternity roosts by big brown bats, 359–368
Matrix population model:
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Matson, Gary M., *see* Bodkin, James L.
Mattson, David J., *see* Green, Gerald I.
———. Use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Mayfield method:
survival of northern bobwhite chicks in western Oklahoma, 846–853
McCabe, Thomas R., *see* Young, Donald D.
McComb, William C., *see* Cole, Elizabeth C.
McKinley, Peter S., *see* Hagan, John M.
McShea, William J., Steven L. Monfort, Salah Hakim, Jay Kirkpatrick, Irwin Liu, John W. Turner, Jr., Lisa Chassy, and Linda Munson. The effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569.
mDNA, *see* DNA, mitochondrial
Meadowlark: 318
Meadowlark, eastern: 176, 319
Meadowlark, western: 176, 319
Meadowrue, western: 1039
Meadowsweet, narrowleaf: 106
Medeiros, John, *see* Black, Jeffery M.
Medford, Oregon: 152
Meehan, Amy L., *see* Hagan, John M.
Melanerpes aurifrons, see Woodpecker, golden-fronted
Melanerpes carolinus, see Woodpecker, red-bellied
Melanerpes erythrocephalus, see Woodpecker, red-headed
Melanitta fusca, see Scoter, white-winged
Melanitta nigra, see Scoter, black
Melanitta perspicillata, see Scoter, surf
Meleagris gallopavo silvestris, see Turkey, eastern wild
Mello, Joaquin, *see* Black, Jeffery M.
Melospiza georgiana, see Sparrow, swamp
Melospiza lincolnii, see Sparrow, Lincoln's
Melospiza melodia, see Sparrow, song
Melvin, Scott M., *see* Gibbs, James P.
Mensik, John G., *see* Rocke, Tonie E.
Menziesia ferruginea, see Huckleberry, fool's
Mephitis mephitis, see Skunk, striped
Merganser, common: 406, 751, 761
Merganser, hooded: 406, 408, 751
Merganser, red-breasted: 406, 408
Mergus merganser, see Merganser, common
Mergus serrator, see Merganser, red-breasted
Merriam, H. Gray, *see* Pedlar, John H.
Merritt Island National Wildlife Refuge: 369, 374
Meslow, E. Charles, *see* Miller, Gary S.
———, *see* Ripple, William J.
Mesquite: 124, 1366
Mesquite, honey: 1109
Mesquite-huisache: 1366
Metabolizable energy: 293
Methyl salicylate: 511–514
Mexico: 336, 441, 578
Meyer, Michael W., *see* Piper, Walter H.
Michelmore, F., *see* Barnes, R. F. W.
Michigan: 246, 293, 1023, 1030, 1108

enumerating megapopulations of wild bears with an ingested biomarker, 466–480
evaluation of pheasant crowing rates as a population index, 1338–1344
local movements of color-marked common loons, 1253–1261
monitoring songbird population change with autumn mist netting, 389–396
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
Microclimate:
daytime habitat selection by cottontails in central Pennsylvania, 450–459
Microhistological analysis: 1108–1109
Microspheres:
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Microtus longicaudus, see Vole, long-tailed
Microtus ochrogaster, see Vole, praire
Microtus oeconomus, see Vole, root
Microtus pennsylvanicus, see Vole, meadow
Microtus spp., *see* Vole
Microtus townsendii, see Vole, Townsend
Midwest: 318
Midwest Waterfowl Inventory: 403, 411–412
Migrants, long-distance: 178
Migrants, neotropical:
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
diversity and abundance of landbirds in a northeastern industrial forest, 718–735
Migrants, short-distance: 178
Migration: 982–983
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
monitoring songbird population change with autumn mist netting, 389–396
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Military: 75
flushing responses of wintering bald eagles to military activity, 1307–1313
Miller, Darren A., George A. Hurst, and Bruce D. Leopold. Chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
Miller, Gary S., Robert J. Small, and E. Charlers Meslow. Habitat selection by spotted owls during natal dispersal in Western Oregon, 140–150
Mills, Scott L., *see* Wisdom, Michael J.
Minimum convex polygon: 345–346
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Minimum-tillage:
bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
Mink: 218, 813, 1206, 1426, 1429
Minnesota: 464, 532–533, 535, 1023–1025, 1030
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
Minnesota Department of Natural Resources: 1068
Mission Mountains, Montana: 1037
Mississippi Aluvial Valley:
denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
Mississippi:
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
Mississippi River: 990–991
Missouri: 159, 293, 299
Missouri Ozarks:
forest bird response to regeneration practices in central hardwood forests, 159–171
Mist net:
monitoring songbird population change with autumn mist netting, 389–396
Mitella breweri, see Miterwort spp.
Miterwort spp.: 1039
Mniotilta varia, see Warbler, black-and-white
Mockingbird, northern: 940–943
Modafferi, Ronald D., and Earl F. Becker. Survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
Model, bird feeding:
estimation of effective area of bird scarers, 925–934
Model, individual-based:
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
Model, spatial habitat:
distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
Modeling: 140
a pragmatic approach to modeling for wildlife management, 261–270
attributes of black-taile prairie dog colonies in northcentral Montana, 664–673
computer simulation of vasectomy for wolf control, 1023–1031
eastern wild turkey reproduction in an area subjected to flooding, 313–317
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Moen, Christine A., and R. J. Gutierrez. California spotted owl habitat selection in the central Sierra Nevada, 1281–1287
Moen, Ron, and Glenn D. DelGiudice. Simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
———, John Pastor, and Yosef Cohen. Accuracy of GPS telemetry collar locations with differential correction, 530–539

Mole, star-nosed: 174
Molothrus aeneus, see Cowbird, bronzed
Molothrus ater, see Cowbird, brown-headed
Monfort, Steven L., *see* McShea, William J.
Mongoose: 1161
Monitoring: 993
a critical analysis on the use of indicator species in management, 1240–1252
monitoring songbird population change with autumn mist netting, 389–396
the role of protected areas as ecological baselines, 587–602
Montana: 29, 494, 1123–1124
attributes of black-tailed prairie dog colonies in northcentral Montana, 664–673
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
spatial and temporal interactions of male and female grizzly bears in northwestern Montana, 39–51
population dynamics of a recolonizing wolf population, 459–465
Montana legislature: 3
Monte Carlo simulation:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
Moore, Clinton T., *see* Johnson, Fred A.
Moose: 246, 460, 1041, 1056, 1132
accuracy of GPS telemetry collar locations with differential correction, 530–539
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Moose Research Center: 534
Mora, Miguel A., M. Clare Lee, J. Peter Jenny, Thomas W. Schultz, Jose L. Sericano, and Nancy J. Clum. Potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Morphometric discrimination:
clinal size variation in Canada geese affects morphometric discrimination techniques, 183–190
Morphometry:
predicting body mass in polar bears: is morphometry useful?, 1083–1090
Morrison, Michael L., *see* Van Vuren, Dirk
Mortality: 217, 228, 459–465, 497–505
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
density dependence, compensation and environmental effects on elk calf mortality inYellowstone National Park, 12–25
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
effects of road management on movement and survival of Roosevelt elk, 1115–1126
habitat selection by spotted owls during natal dispersal in western Oregon, 140–150
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Moser-Rolley criterion: 188
Mosley, Jeffery C., *see* Tear, Timothy H.
Mouflon: 1158
Mouse:
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Mouse, Bailey's pocket: 126
Mouse, cactus: 126
Mouse, deer: 125, 174–176, 235, 951, 1228
Mouse, desert pocket: 127
Mouse, house: 126, 175
Mouse, meadow jumping: 174–176
Mouse, northern grasshopper: 126, 175
Mouse, prairie deer: 174–176
Mouse, pygmy: 911
Mouse, silky pocket: 126
Mouse, southern grasshopper: 126
Mouse, Taylor's pygmy: 126
Mouse, western harvest: 126, 174
Mouse, white-footed: 125, 174–176, 348
Mouse, woodland jumping: 174
Mt. Graham, Arizona: 577–579
Mt. Graham International Observatory: 577
***Muhlenbergia* spp.:** 1135
Munson, Linda, *see* McShea, William J.
Murrelets, ancient:
raccoon predation on ancient murrelets on East Limestone Island, British Columbia, 377–388
Mus musculus, see Mouse, house
Muscles:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
Muskrat: 385
Mussels, bay: 1323
Mustard: 76
Mustela erminae haidarum, see Ermine
Mustela frenata, see Weasel, long-tailed
Mustela nigripes, see Ferret, black-footed
Mustela putorius, see Polecat, European
Mustela putorius furo, see Ferret, domestic

Mustela vison, see Mink
MWI, *see* Midwest Waterfowl Inventory
Myiarchus crinitus, see Flycatcher, great crested
Myotis evotis, see Bat, long-eared
Myrica asplenifolia, see Fern, sweet
Myrica cerifera, see Myrtle, wax
Myriophyllum spicatum: 1202
Myrtle: 1117
Myrtle, wax: 369
Mytilus trossulus, see Mussels, bay

N

Nacella concina, see Limpet
Nadian, Allan, *see* Jones, Ainsley.
Nakamura, Kazuo. Estimation of effective area of bird scarers, 925–934
Nakuru National Park: 251
Napaeozapus insignis, see Mouse, woodland jumping
Natality: 1188
  landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
  population dynamics of a recolonizing wolf population, 459–465
National Elk Refuge: 3
  early development of supplementally fed, free-ranging elk, 26–38
National Environmental Policy Act: 574
National Forest Management Act: 6, 574
National forests:
  a critical analysis on the use of indicator species in management, 1240–1252
National Park Service: 27, 246, 369, 1053, 1450–1452
  Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
National Park System: 1439
National Zoological Park's Conservation and Research Center: 561
Natividad, Cathleen Hodges, *see* Black, Jeffery M
Natural disturbance:
  timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Natural resource conservation: 975–978
Nature Conservatory: 975–976
Nature tourism: 485
Naval Petroleum Reserves:
  effects of radiocollars on San Joaquin kit foxes, 1412–1423
Nebraska: 294, 318
  avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
Necropsy: 230
Nedbal, Michael A., Rodney L. Honeycutt, Steven G. Evans, R. Montague Whiting, Jr., and Donald R. Dietz. Northern bobwhite restocking in east Texas: a genetic assesment, 854–863
Nelumbo lutea, see Lotus, American
Nene, *see* Geese, Hawaiian
Neotoma albigula, see Woodrat, white-throated
Neotoma fuscipes, see Woodrat, dusky-footed
NEPA, *see* National Environmental Policy Act
Nerol: 512, 514
Nest:
  dens of northern flying squirrels in the Pacific Northwest, 684–699
  effect of research activity on the success of American robin nests, 948–952
Nest, artificial:
  factors affecting predation of artificial nests in marshes, 792–800
Nest boxes:
  an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
  frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Nest concealment:
  factors affecting predation of artificial nests in marshes, 792–800
Nest parasitism:
  frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
Nest predation:
  comparisons of lethal and nonlethal techniques to reduce raccoon depredation of sea turtle nests, 368–376
  edge-related nest losses in Wisconsin pine barrens, 1234–1239
  temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Nest site selection:
  landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
Nesting:
  bird use and nesting in conventional, minimum-till-age, and organic cropland, 644–655
  chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
  habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
  reproductive success of bald eagles in interior Alaska, 1313–1321
  survival of northern bobwhite chicks in western Oklahoma, 846–853
Nesting habitat:
  canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
Nesting success:
  California spotted owl habitat selection in the central Sierra Nevada, 1281–1287
  effect of research activity on the success of American robin nests, 948–952
  forest bird response to regeneration practices in central hardwood forests, 159–171

habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
reproductive success of bald eagles in interior Alaska, 1313–1321
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Nettle, stinging: 1039
New Hampshire: 1072
New Mexico: 340, 578
a comparison of gray fox ecology between residental and undeveloped rural landscapes, 112–122
effects of livestock grazing on small mammals at a desert cienaga, 123–129
New Mexico Department of Game and Fish: 124
Newt, rough-skinned:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Newton, Micheal, *see* Cole, Elizabeth C.
Newts:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
NFMA, *see* National Forest Management Act
Nicholls, Tom, *see* Niemi, Gerald J.
Niemi, Gerald J., Joann M. Hanowski, Ann R. Lima, Tom Nicholls, and Norm Weiland. A critical analysis on the use of indicator species in management, 1240–1252
———, *see* Christian, Donald P.
Niemuth, Neal D., and Mark S. Boyce. Edge-related nest losses in Wisconsin pine barrens, 1234–1239
Nieukirk, Sharon L., *see* Mate, Bruce R.
Nighthawk, common: 1294
Nitrogen:
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Nonlethal: 352, 361, 510, 1352
Noon, Barry R., *see* Sakai, Howard F.
North American Waterfowl Management Plan: 208, 435
North Carolina: 313, 316, 397
North Dakota:
bird use and nesting in conventional, minimum-till-age, and organic cropland, 644–655
brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
Northern Continental Divide Ecosystem: 1034
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
Northwest Territories: 413, 1080
dispersal patterns of lynx in the Northwest Territories, 497–505
Norway:
a test of aversivie agents on wolverines, 510–516
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Norwegian Directorate for Nature Management: 281
Novaro, André J., *see* Capurro, Angel F.
Nowlan, Uli, *see* Hoefs, Manfred
Noxubee National Wildlife Refuge: 823
Noyce, Karen V., and David L. Garshelis. Influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
Nuisance wildlife:
selection of maternity roosts by big brown bats, 359–368
Nuthatch, red-breasted: 176, 273, 725–726, 728, 735, 1244, 1246, 1252
Nuthatch spp.: 1272
Nuthatch, white-breasted: 164–165, 176, 724, 726, 735
Nutrition:
comparison of horn growth in captive and free-ranging Dall's rams, 1154–1160
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
fecal indicators, diet, and population parameters in mule deer, 550–560
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
validation of ^{22}sodium to estimate food intake of bears, 52–56
Nuttallornis borealis, see Flycatcher, olive-sided
Nyl River floodplain:
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Nymphaea odorata, see Lily, fragrant water
Nyssa aquatica, see Tupelo
Nyssa aquatica, see Gum
Nyssa sylvatica, see Blackgum

O

Oak, black: 160, 1282
Oak, bur: 1235
Oak, California live: 152
Oak, Gambel: 337, 949
Oak, Hill's: 1235
Oak, red: 106, 822, 1098, 1235
Oak, scarlet: 160
Oak, shinnery: 847
Oak spp.: 160, 333, 369, 1068–1070
Oak, tan: 152, 343–344, 347
Oak, white: 160
Oats, sea: 369

Observer effect:
effect of research activity on the success of American robin nests, 948–952
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Oceanodroma macrodoctyla, see Petrel, Quadalupe storm
Oceanodruma furcata, see Petrel, storm
Oceanodruma leuconrhoa, see Petrel, storm
Oceanspray: 1117
Ockenfels, Richard A., *see* Carrel, William K.
Odocoileus hemionus columbianus, see Deer, mule
Odocoileus virginianus, see Deer, white-tailed
Oil, aromatic: 512–513
Oil:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
Oil spill:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Oil, synthetic mustard: 511, 514
Oklahoma:
survival of northern bobwhite chicks in western Oklahoma, 846–853
Oksa, Juha, *see* Putaala, Ahti
Old-growth forest: 140, 343–347
dens of northern flying squirrels in the Pacific Northwest, 684–699
landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
Oleoresin: 511
Olfaction:
a test of aversivie agents on wolverines, 510–516
Oli, Madan K., Harry A. Jacobson, and Bruce D. Leopold. Denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
Olive, autumn: 451
Olson, Gail S., *see* Van Horne, Beatrice
Oman: 1142
Oncorhychus clarki, see Trout, cutthroat
Oncorhynchus keta, see Salmon, chum
Oncorhynchus kisutch, see Salmon, coho
Oncorhynchus mykiss, see Trout, rainbow
Oncorhynchus nerka, see Salmon, sockeye
Oncorhynchus tshawytscha, see Salmon, chinook
Ondatra zibethicus, see Muskrat
Ontario: 183
a simple wetland habitat classification for boreal forest waterfowl, 746–757
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
monitoring songbird population change with autumn mist netting, 389–396
raccoon habitat use at two spatial scales, 102–112
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Ontario Ministry of Natural Resources: 517–518
Onychomys leucogaster, see Mouse, northern grasshopper
Onychomys torridus, see Mouse, southern grasshopper
Oplopanax horridum, see Devil's club
Oporornis formosus, see Warbler, Kentucky
Oporornis philadelphia, see Warbler, mourning
Opossum, Virginia: 373, 1426
Optimal allocation:
design and results of a waterfowl breeding population survey for Wyoming, 758–767
Optimization: 202
Orcas Island: 64
Oregon: 26, 343, 1125, 1319, 1376
dens of northern flying squirrels in the Pacific Northwest, 684–699
habitat selection by spotted owls during natal dispersal in Western Oregon, 140–150
landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
Oregon Cascades: 1116
Oregon Coast Range: 157
effects of road management on movement and survival of Roosevelt elk, 1115–1126
Oregon Department of Fish and Wildlife: 1118
Organic farming:
bird use and nesting in conventional, minimum-tillage, and organic cropland, 644–655
Organic iodine coumpounds: 241, 343
Organochlorines:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Oricinus orcas, see Whale, killer
Ornithine:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Ortega, Catherine P., Joseph C. Ortega, Cristin A Rapp, Shawchyi Vorisek, Stacia A. Backensto, and Donald W. Palmer. Effect of research activity on the success of American robin nests, 948–952
Ortega, Joseph C., *see* Ortega, Catherine P.
Orts: 53
Oryctolagus cuniculus, see Rabbit, European
Oryx, Arabian:
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Oryx leucoryx, see Oryx, Arabian
Osmek, Steven D., *see* Laake, Jeffery L.
Osmorhiza spp., *see* Cicely, sweet
Osprey: 1242–1244, 1252

Otis asio, see Owl, eastern screech
Otis, David L. Analysis of habitat selection studies with multiple patches within cover types, 1016–1022
Otter: 984–986
Otter, river: 380, 1429
Otter, sea:
estimating age of sea otters with cementum layers in the first premolar, 967–973
Ovaries:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
Ovenbird: 159, 163–169, 176, 724, 735, 1244, 1246, 1252
Overlap:
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
Ovis ammon musimon, see Mouflon
Ovis aries, see Sheep
Ovis canadensis, see Sheep, big horn
Ovis dalli dalli, see Sheep, Dall's
Ovis dalli stonei, see Sheep, Stone
Owl, barred: 1243–1244, 1252, 1331
Owl, California spotted: 156
California spotted owl habitat selection in the central Sierra Nevada, 1281–1287
Owl, eastern screech: 348, 581–582
Owl, great horned: 148, 349, 984, 1331
Owl, Mexican spotted:
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
Owl, northern spotted: 102, 302, 340
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
California spotted owl habitat selection in the central Sierra Nevada, 1281–1287
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
dens of northern flying squirrels in the Pacific Northwest, 684–699
habitat selection by spotted owls during natal dispersal in western Oregon, 140–150
landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
Owl, saw-whet: 380
Owl, screech: 1272
Owl, short-eared: 1331
Owl, Tengmalm's: 147
Oxyura jamaicensis, see Duck, ruddy
Oystercatcher, black:
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Oystercatcher, Eurasian: 1326
Ozark Plateau: 160

P

P-dichlorobenzene: 511–514
Pachistima myrsinites, see Pachistima, myrtle
Pachistima, myrtle: 1039
Pacific Flyway Council: 758
Pacific madrone: 152
Pacific Northwest: 140
dens of northern flying squirrels in the Pacific Northwest, 684–699
Packsaddle Wildlife Management Area: 847
Page, Robert., *see* Jones, Ainsley
Painter, Charles W., *see* Hayward, Bruce
Palmer, Donald W., *see* Ortega, Catherine P.
Palmetto, saw: 369
Palustrine: 749
Pandion haliaetus, see Osprey
Panicum amarum, see Grass, beach
Panicum colaratum, see Grass, klein
Panicum virgatum, see Grass, switch
Panther: 375
Panthera leo, see Lion
Panthera onca, see Jaguar
Paquette, Gil A., James H. Devries, Robert B. Emery, David W. Howerter, Brian L. Joynt , and Tomasz P. Sankowski. Effects of transmitters on reproduction and survival of wild mallards, 953–961
Parabuteo unicinctus, see Hawk, Harris
Paraguay:
identification of cougar and jaguar feces through bile acid chromatography, 506–510
Parasites: 801–807
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Park management:
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Parry, Edward S., *see* DeMaso, Stephen J.
Parsnip, cow: 1039
Partnerships: 976–978
Partridge, gray:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
Parturition: 26, 29, 34, 1135
Paruk, James D., *see* Piper, Walter H.
Parula americana, see Parula, northern
Parula, northern: 159, 164–165, 168, 724, 726, 735, 1244, 1246, 1252
Parus atricapillus, see Chickadee, black-capped
Parus bicolor, see Titmouse, tufted
Parus carolinensis, see Chickadee, Carolina
Parus hudsonicus, see Chickadee, boreal
Parus major, see Tits, great
Parus rufescens, see Chickadee, chestnut-backed

Paspalum, sand: 847
Paspalum virgatum, see Paspalum, sand
Passerculus sandwichensis, see Sparrow, savannah
Passerina cyanea, see Bunting, indigo
Pastor, John, *see* Moen, Ron
Patch size: 78, 520, 523, 1092, 1094
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
edge-related nest losses in Wisconsin pine barrens, 1234–1239
Paveglio, Fred L., Kevin M. Kilbride, and Christine M. Bunck. Selenium in aquatic birds from central California, 832–839
PCB: 1288, 1449
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Pedlar, John H., Lenore Fahrig, and H. Gray Merriam. Raccoon habitat use at two spatial scales, 102–112
Peek, James M., *see* Green, Gerald I.
Pellet counts:
comparison of two methods to estimate density of an endangered lagomorph, 86–92
Pennsylvania State's Cooperative Extension: 360
Pennisetum clandestinum, see Grass, Kikuyu
Pennsylvania: 183
daytime habitat selection by cottontails in central Pennsylvania, 450–459
selection of maternity roosts by big brown bats, 359–368
Pennsylvania Game Commission: 360
***Penstemon* spp.**: 1039
Peoples, Alan D., *see* DeMaso, Stephen J.
Perameles gunnii, see Bandicoot, eastern barred
Perch:
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Perdix perdix, see Partridge, gray
Perideridia gairdneri, see Yampah
Perisoreus canadensis, see Jay, gray
Perkins, Anjeanette L., William R. Clark, Terry Z. Riley, and Paul A. Vohs. Effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
Perkins, Christopher R., and John S. Barclay. Accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Permutation procedures:
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
Perognathus flavus, see Mouse, silky pocket
Peromyscus eremicus, see Mouse, cactus
Peromyscus leucopus, see Mouse, white-footed
Peromyscus maniculatus bairdii, see Mouse, prairie deer
Peromyscus maniculatus gracilis, see Mouse, deer
Persea borbonia, see Bay, red
Pest control:
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Pest management:
translocation as a nonlethal alternative for managing California ground squirrels, 351–359
Pesticides: 1288
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Petersen estimator:
visibility bias on counts of nesting Canada geese, 768–772
Petersen, Margaret R., *see* Schmutz, Joel A.
Peterson, Rolf O., *see* DelGiudice, Glenn D.
Petrel, Quadalupe storm: 377
Petrel, storm: 385
Petrie, Scott A., and Kevin H. Rogers. Satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Petroleum exploration:
effects of petroleum exploration on woodland caribou in northeastern Alberta, 1127–1133
Pewee, eastern wood: 725–726, 728, 1244, 1246, 1252
Phalacrocorax auritus, see Cormorant, double-crested
Phaocoena phocoena, see Porpoise, harbor
Phasianus colchicus, see Pheasant, ring-necked
Phasianus colchicus strauci, see Pheasant, Sichuan
Pheasant, hybrid:
evaluation of pheasant crowing rates as a population index, 1338–1344
Pheasant, ring-necked: 318, 809, 1294, 1369
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
evaluation of pheasant crowing rates as a population index, 1338–1344
ring-necked pheasant population genetic structure, 1332–1338
Pheasant, Sichuan:
evaluation of pheasant crowing rates as a population index, 1338–1344
Phellinus pini, see Fungus, red-heart
Phenology: 1037
Pheuticus ludovicianus, see Grosbeak, rose-breasted
Phillips, David M., *see* Chapin, Theodore G.
Philopatry: 1175
local movements of color-marked common loons, 1253–1261
Philosophy: 255–256
logic and science in wildlife biology, 1007–1015
Photogrammetry:
canopy closure around nest sites of Mexican spotted owls in northcentral Arizona, 336–342
Photoperiod:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436

Photoporphyrin: 228
Phrynosoma cornutum, see Lizard, Texas horned
Pica nuttalli, see Magpie, yellow-billed
Pica pica, see Magpie
Picea albicaulis, see Spruce, whitebark
Picea engelmannii, see Spruce, Engelmann
Picea glauca, see Spruce, white
Picea mariana, see Spruce, black
Picea sitchemsis, see Spruce, Sitka
Picea spp., *see* Spruce
Picman, Jaroslav, *see* Jobin, Benoît
Picoides arcticus, see Woodpecker, black-backed
Picoides borealis, see Woodpecker, red-cockaded
Picoides pubescens, see Woodpecker, downy
Picoides tridactylus, see Woodpecker, three-toed
Picoides villosus, see Woodpecker, hairy
Piedmont:
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
Pig: 1161
Pigeon: 1359
Pigeon guillemots: 380
Pigeon, wood: 1350
Pinaleno mountains: 577
Pine: 160, 369
Pine barrens:
edge-related nest losses in Wisconsin pine barrens, 1234–1239
Pine, jack: 518, 523, 525, 527–528, 1235, 1371
Pine, Jeffery: 551
Pine, loblolly: 333, 1269, 1329
Pine, lodgepole: 27, 137, 460, 551, 1039, 1041
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Pine, longleaf: 1269
Pine needle oil: 235
Pine, pinyon: 113, 874
Pine, ponderosa: 141, 152, 337, 1281
Pine, red: 106, 518, 525–528, 1235
Pine, short leaf: 160, 333
Pine, sugar: 141, 152, 1282
Pine, white: 518
Pine, whitebark: 21, 483, 485, 1039, 1052
Pintail, northern: 232, 761, 822, 835–837
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Pinus albicaulis, see Pine, whitebark
Pinus banksiana, see Pine, jack
Pinus contorta, see Pine, lodgepole
Pinus echinata, see Pine, short leaf
Pinus edulis, see Pine, pinyon
Pinus jeffreyi, see Pine, Jeffery
Pinus lambertiana, see Pine, sugar
Pinus ponderosa, see Pine, ponderosa
Pinus resinosa, see Pine, red
Pinus spp., *see* Pine
Pinus strobus, see Pine, white
Pinus taeda, see Pine, loblolly
Piper, Walter H., James D. Paruk, David C. Evers, Michael W. Meyer, Keren B. Tischler, Margaret Klich, and Jerry J. Hartigan. Local movements of color-marked common loons, 1253–1261
Pipilo erythrophthalmus, see Towhee, rufous-sided
Piranga olivacea, see Tanager, scarlet
Piranga rubra, see Tanager, summer
Plant secondary metabolites:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Plant species composition: 326
Plantations: 171
Plante, Nathalie, *see* Reed, Austin
Plethodon dunni, see Salamander, Dunn's
Plethodon vehiculum, see Salamander, redback
Pletscher, Daniel H., Robert R. Ream, Diane K. Boyd, Michael W. Fairchild, and Kyran E. Kunkel. Population dynamics of a recolonizing wolf population, 459–465
Plots:
a survey for mallard pairs in the Atlantic Flyway, 1191–1198
Plum, Canada: 106
Plum, sand: 847
Plum, wild: 1068
Poa secund, see Grass, Sandberg's blue
***Poa* spp.:** 553
Podilymbus podiceps, see Grebe, pied-billed
Pogonomyrmex spp., *see* Ant, harvester
Point counts: 1453
Point Doughty, Washington: 64
Poisson regression: 87
raccoon habitat use at two spatial scales, 102–112
Polecat, European: 1432
Policies, experimental: 987
Policy: 573
Greater Yellowstone's bison: unraveling of an early American conservation achievement, 1–11
Policy evaluation:
timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Polioptila caerula, see Gnatcatcher, blue-gray
Polischuk, Susan C., *see* Cattet, Marc R. L.
Political Economy Research Center: 258
Pollution: 249
selenium in aquatic birds from central California, 832–839
Polygonum spp., *see* Smartweed
Polystichum acrostichoides, see Fern, Christmas holly
Polystichum munitum, see Fern, sword
Ponds, beaver:
a simple wetland habitat classification for boreal forest waterfowl, 746–757

Ponds, irrigation:
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Pondweed: 1202
Pooecetes gramineus, see Sparrow, vesper
Poole, Kim G. Dispersal patterns of lynx in the Northwest Territories, 497–505
Pope, Michael D., *see* Cole, Eric K.
Poplar, balsam: 1314
Poplar, hybrid:
bird and small mammal use of short rotation hybrid poplar plantations, 171–182
Population control:
computer simulation of vasectomy for wolf control, 1023–1031
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
Population dynamics: 202, 265
density dependence, compensation and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
eastern wild turkey reproduction in an area subjected to flooding, 313–317
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
population dynamics of a recolonizing wolf population, 459–465
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Population estimation:
comparison of two methods to estimate density of an endangered lagomorph, 86–92
design and results of a waterfowl breeding population survey for Wyoming, 758–767
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
evaluation of pheasant crowing rates as a population index, 1338–1344
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
visibility bias on counts of nesting Canada geese, 768–772
Population genetics:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
northern bobwhite restocking in east Texas: a genetic assesment, 854–863
Population index:
diggings as a population index for the eastern barred bandicoot, 1378–1383
evaluation of pheasant crowing rates as a population index, 1338–1344
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
Population matrix:
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Population regulation: 12, 202
Population simulation:
computer simulation of vasectomy for wolf control, 1023–1031
Population surveys:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Population viability analysis: 251
Populus angustifolia, see Cottonwood, narrowleaf
Populus balsamifera, see Poplar, balsam
Populus fremontii, see Cottonwood
Populus grandidentata, see Aspen, large tooth
Populus spp., *see* Aspen
Populus tremuloides, see Aspen, trembling
Populus trichocarpa, see Cottonwood, black
Porcine zona pellucida:
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
Porcupine Caribou Herd:
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
Porpoise, harbor:
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
Porzana carolina, see Sora
Possum, ring-tailed: 130
Postingestional malaise: 235
Postpartum cost: 34
Potamogeton spp., *see* Pondweed
Power analysis:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
statistical power analysis in wildlife research, 270–279
Pradel, Roger, Nathalie Rioux, Alain Tamisier, and Jean-Dominique Lebreton. Individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
Pragmatic models: 263, 267
Prairie dogs, black-tailed: 93, 347
attributes of black-tailed prairie dog colonies in northcentral Montana, 664–673
Prairie Pothole Region: 205, 1196
effects of transmitters on reproduction and survival of wild mallards, 953–961
wetland use, settling patterns, and recruitment in mallards, 736–746
Prairie-chicken, Attwater's greater: 305
Prairie-chicken, greater:
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Predation:
a test of aversive agents on wolverines, 510–516
bed-site characteristics of pronghorn fawns, 1134–1141

between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
density dependence, compensation and environmental effects on elk calf, 12–25
effect of research activity on the success of American robin nests, 948–952
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
factors affecting predation of artificial nests in marshes, 792–800
grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1065
raccoon predation on ancient murrelets on East Limestone Island, British Columbia, 377–388
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
translocation as a nonlethal alternative for managing California ground squirrels, 351–359
use of tree stumps as roosts by the western long-eared bat, 674–684
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Predator activity:
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Predator-diversion fences: 1186
Pregnancy:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Premolar:
estimating age of sea otters with cementum layers in the first premolar, 967–973
Prenzlow, Danielle M., and James R. Lovvorn. Design and results of a waterfowl breeding population survey for Wyoming, 758–767
Prescribed burning:
effects of habitat manipulations on Texas horned lizards and their prey, 1366–1370
Prey abundance:
are avian hematocrits indicative of condition? American kestrels as a model, 1297–1306
reproductive success of bald eagles in interior Alaska, 1313–1321
Prince, Harold H., *see* Luukkonen, David R.
Prince William Sound:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
Privet spp.: 1039
Problem-solving:
a pragmatic approach to modeling for wildlife management, 261–270
Procyon lotor, see Raccoon, common
Pronghorn, American: 14, 1041, 1047
bed-site characteristics of pronghorn fawns, 1134–1141
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Propane cannon: 1128, 1132
Propyl analogue: 241
Prosopis cineraria: 1150–1151
Prosopis glandulosa, see Mesquite, honey
Prosopis juliflora, see Mesquite
Prospective power analysis: 270
Protected areas: 976–978
the role of protected areas as biological baselines, 587–602
Protein restriction:
effects of seasonal protein restriction on antlerogenesis and body mass in adult male white-tailed deer, 1098–1107
Protein-bound iodine: 241
Prunus americana, see Plum, wild
Prunus angustifolia, see Plum, sand
Prunus nigra, see Plum, Canada
Prunus pensylvanica, see Cherry, pin
Prunus virginiana, see Cherry, choke
Pseudallopex griseus, see Fox, South American gray
Pseudalopex culpaeus, see Culpeo
Pseudocheirus peregrinus, see Possum, ring-tailed
Pseudopregnancy:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Psuedotsuga manziesii, see Fir, Douglas
Ptarmigan, rock: 137
Pteridium aquilinum, see Fern, bracken
Puffin, tufted: 385
Puma concolor, see Cougar
Purshia tridentata, see Bitterbrush
Putaala, Ahti, Juha Oksa, Hannu Rintamäki , and Raimo Hissa. Effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
PVA, *see* Population viability analysis
Pychoramphus aleuticus, see Auklets, Cassin's
Pyrus americana, see Ash, mountain
Pyrus decora, see Ash, mountain
Pyrus spp., *see* Apple, Asiatic crab

Q

Quail, Japanese: 1228
Quail:
northern bobwhite restocking in east Texas: a genetic assessment, 854–863
Quarantine: 5
Quebec: 518
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419
Queen Charlotte Island:
raccoon predation on ancient murrelets on East Limestone Island, British Columbia, 377–388
Quelea quelea, see Queleas, red-billed
Queleas, red-billed: 1304
Quercus alba, see Oak, white
Quercus chrysolepis, see Oak, California live
Quercus coccinea, see Oak, scarlet
Quercus elliposoidalis, see Oak, Hill's

Quercus gambelii, see Oak, Gambel
Quercus harvardii, see Oak, shinnery
Quercus kelloggii, see Oak, black
Quercus macrocarpa, see Oak, bur
Quercus rubra, see Oak, red
Quercus spp., *see* Oak
Quercus velutina, see Oak, black
Quinones: 1359
Quiscalus major, see Grackle, boat-tailed
Quiscalus mexicanus, see Grackle, great-tailed
Quiscalus quiscula, see Grackle, common

R

Rabbit, black-tailed jack: 75, 503
Rabbit, cottontail: 911
daytime habitat selection by cottontails in central Pennsylvania, 450–459
Rabbit, European: 53
Rabbit, Lower Key's marsh:
comparison of two methods to estimate density of an endangered lagomorph, 86–92
Rabbitbrush: 551, 874
Rabies: 244
raccoon habitat use at two spatial scales, 102–112
Raccoon, common: 244, 469, 951, 1178, 1331, 1426
raccoon habitat use at two spatial scales, 102–112
Radiocollar effects:
effects of radiocollars on San Joaquin kit foxes, 1412–1423
Radiography: 229
Radiolocation:
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Radiotelemetry: 27, 86, 141, 217
accuracy of GPS telemetry collar locations with differential correction, 530–539
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
daytime habitat selection by cottontails in central Pennsylvania, 450–459
dens of northern flying squirrels in the Pacific Northwest, 684–699
dispersal patterns of lynx in the northwest Territories, 497–505
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
effects of radiocollars on San Joaquin kit foxes, 1412–1423
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–291
effects of transmitters on reproduction and survival of wild mallards, 953–961
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
satellite-monitored movements of the northern right whale, 1393–1405
survival of northern bobwhite chicks in western Oklahoma, 846–853
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
winter movements and habitat use by greater snow geese, 1213–1221
Radiotelemetry, aerial:
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Ragweed, western: 847
Rail, clapper: 1220
Rail, Virginia:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Rain: 530–539
Rallus limicola, see Rail, Virginia
Rallus longirostris, see Rail, clapper
Ramsay, Malcolm A., *see* Cattet, Marc R. L.
Rana aurora, see Frog, red-legged
Range management: 582–584
Rangeland: 1446
bed-site characteristics of pronghorn fawns, 1134–1141
Rangifer tarandus caribou, see Caribou, woodland
Rapp, Cristin A., *see* Ortega, Catherine P.
Raptor: 75, 982–983, 1453
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
Raspberry, black: 160
Raspberry, red: 106
Rat: 373, 1161
Rat, black: 1161
Rat, cotton: 911
Rat, hispid cotton: 126
Rat, kangaroo: 95
Rat, Merriam's kangaroo: 123
Rat, Norway: 385
Rat, Polynesian: 1161
Rate of increase:
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Ratio, age: 222
Ratio, sex: 33
Ratio, sex/age:
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Ratnaswamy, Mary J., Robert J. Warren, Monique T. Kramer, and Michael D. Adam. Comparisons of lethal and nonlethal techniques to reduce raccoon depredation of sea turtle nests, 368–376
Rattus exulans, see Rat, Polynesian
Rattus norvegicus, see Rat, Norway
Rattus rattus, see Rat, black

Raven, common: 380, 383, 725–726, 734, 1042, 1231, 1236
Reading, Richard P., and Randy Matchett. Attributes of black-tailed prairie dog colonies in northcentral Montana, 664–673
Ream, Robert R., *see* Pletscher, Daniel H.
Recolonization: 459, 1024
Recovery:
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Recovery plan for the loggerhead turtle: 369
Recovery plan for the Mexican spotted owl: 341
Recreation: 485
Recruitment: 202, 222
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
Redhead: 448, 761
reproductive success and female survival affect local population density in canvasbacks, 1174–1191
Redstart, American: 724, 726, 734, 1244, 1252
Reed, Austin, and Nathalie Plante. Decline in body mass, size and condition of greater snow geese 1975–94, 413–419
Refuges: 435–443
Regulus calendula, see Kinglet, ruby-crowned
Regulus satrapa, see Kinglet, golden-crowned
Reintroduction: 579
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Reithrodontomys megalotis, see Mouse, western harvest
Release, hard: 356
Release, soft: 356
Remote sensing: 1091
Rempel, Robert S., and Arthur R. Rodgers. Effects of differential correction on accuracy of a GPS animal location system, 525–530
———, Kenneth F. Abraham, Ted R. Gadawaski, Shane Gabor, and R. Kenyon Ross. A simple wetland habitat classification for boreal forest waterfowl, 746–757
———, Philip C. Elkie, Arthur Rodgers, and Michael J. Glock. Timber-management and natural-disturbance effects on moose habitat: landscape evaluation, 517–524
Repellent: 1352
a test of aversivie agents on wolverines, 510–516
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Replication: 989
Reproduction: 550–560
early development of supplementally fed, free-ranging elk, 26–39
eastern wild turkey reproduction in an area subjected to flooding, 313–317
effect of research activity on the success of American robin nests, 948–952
effects of transmitters on reproduction and survival of wild mallards, 953–961
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
reproductive success of bald eagles in interior Alaska, 1313–1321
the effect of immunocontraception on the behavior and reproduction of white-tailed deer, 560–569
the Exxon Valdez oil spill disrupted the breeding of black oystercatchers, 1322–1328
Reproduction index: 151
Reproductive success: 26, 29, 366
effects of radiocollars on San Joaquin kit foxes, 1412–1423
Research activity:
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
effect of research activity on the success of American robin nests, 948–952
Research design:
statistical power analysis in wildlife research, 270–279
Resource availability: 113
Resource selection:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Restoration:
survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
Rexstad, Eric A., *see* Sedinger, James S.
———, *see* Ward, David H.
Rhamnus cathartica, see Buckthorn, common
Rhinoceros: 265
Rhodes, Walter E., *see* Wilkinson, Philip M.
Rhododendron: 1117
Rhododendron macropyllus, see Rhododendron
Rhus aromatica, see Sumac, fragrant
Rhyacotriton spp., *see* Salamander, Olympic
***Ribes* spp.:** 343
Rice: 435–443
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Rice, southern wild: 398
Rice, wild: 802

Richness:
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
RIFA, *see* Ant, red imported fire
Riley, Terry Z., *see* Perkins, Anjeanette
Rintamäki, Hannu, *see* Putaala, Ahti
Rioux, Nathalie, *see* Pradel, Roger
Riparian areas:
effects of livestock grazing on small mammals at a desert cienaga, 123–129
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Riparian vegetation: 987
Rippin, A. Blair, *see* Stuart-Smith, A. Kari
Ripple, William J., Peter D. Lattin, K. T. Hershey, Frank F. Wagner, and E. Charles Meslow. Landscape composition and pattern around northern spotted owl nest sites in southwest Oregon, 151–158
Risk spreading: 992
Riverine: 749
Road closures:
effects of road management on movement and survival of Roosevelt elk, 1115–1126
Roads: 1032, 1048
effects of road management on movement and survival of Roosevelt elk, 1115–1126
estimating forest elephant numbers with dung counts and a geographical information system, 1384–1393
Roanoke River: 313–314, 316
Robbins, Charles T., *see* Farley, Sean D.
Robbins, Russell L., *see* Smith, Bruce L.
Robin, American: 725–726, 728, 734, 940–943, 1244, 1246, 1252
effect of research activity on the success of American robin nests, 948–952
Roccus saxatilus, *see* Bass, striped
Rocke, Tonie E., Christopher J. Brand, and John G. Mensik. Site-specific lead exposure from lead pellet ingestion in sentinel mallards, 228–234
Rockefeller State Wildlife Refuge: 437
Rockwell, Robert F., *see* Schmutz, Joel A.
Rodgers, Arthur R., *see* Rempel, Robert S.
Rogers, Kevin H., *see* Petrie, Scott A.
Rogue River National Forest: 152
Romero, Marta S., *see* Capurro, Angel F.
Rook: 1359
Roosting:
California spotted owl habitat selection in the central Sierra Nevada, 1281–1287
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
selection of maternity roosts by big brown bats, 359–368
use of tree stumps as roosts by the western long-eared bat, 674–684
winter movements and habitat use by greater snow geese, 1213–1221
Rosa acicularis, *see* Cranberry, highbush
Rosa multiflora, *see* Rose, multiflora
***Rosa* spp.:** 553
Rose, multiflora: 451
Roseberry, John L., *see* Foster, John R.
Rosenfield, Robert N., *see* Bielefeldt, John
Ross, R. Kenyon, *see* Rempel, Robert S.
Rubus fruticosus, *see* Blackberry
Rubus idaeus, *see* Raspberry, red
Rubus occidentalis, *see* Raspberry, black
Rubus parviflorus, *see* Thimbleberry
Rugh, David J., *see* Laake, Jeffery L.
Ruminant nutrition:
fecal indicators, diet, and population parameters in mule deer, 550–560
Rural landscapes:
raccoon habitat use at two spatial scales, 102–112
Rusch, Donald H., *see* Leafloor, James O.
———, *see* Walter, Scott E.
Russia: 217
Rutberg, Allen T., *see* Turner, John W. Jr.
Rye, beach: 1205

S

Sabine National Wildlife Refuge: 437
Sacramento National Wildlife Refuge: 228
Sagebrush: 551, 553, 555–558, 874
Sagebrush, big: 76, 93, 553, 1041
Sagebrush, sand: 847
Sakai, Howard F., and Barry R. Noon. Between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
Salal: 1117
Salamander:
response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range, 656–664
Salamander, Dunn's: 656–664
Salamander, Olympic: 656–664
Salamander, Pacific giant: 656–664
Salamander, redback: 656–664
Salinity:
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
Salix spp., *see* Willow
Salmon, chinook: 53
Salmon, chum: 1308
Salmon, coho: 990–991
Salmon, sockeye: 1314
Salsola kali, *see* Thistle, Russian
Saltbush, desert: 1414
Saltmarsh, tidal:
winter movements and habitat use by greater snow geese, 1213–1221
Sambucus racemosa, *see* Elder, red-berried

Sample design:
statistical power analysis in wildlife research, 270–279
Sampling: 991, 1004
evaluation of an aerial quadrat survey for monitoring wintering duck populations, 403–412
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
Samuel, William M., *see* DelGiudice, Glenn D.
San Juan Islands: 64
San Simon Cienaga: 124
Sandpiper, purple: 1326
Sandpiper, upland: 176, 320, 1237
Sankowski, Thomasz P., *see* Paquette, Gil A.
Santos, Nelson, *see* Black, Jeffery M
Sapsucker, yellow-bellied: 176, 724, 726, 735, 1244, 1252
Saskatchewan: 206, 222, 1319
are avian Hematocrits indicative of condition? American kestrels as a model, 1297–1306
Sassafras: 160
Sassafras albidum, see Sassafras
Satellite availability:
accuracy of GPS telemetry collar locations with differential correction, 530–539
Satellite imagery:
factors influencing efficiency of white-tailed deer harvest in Illinois, 1091–1097
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
satellite-monitored movements of the northern right whale, 1393–1405
Satellite transmitters:
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Sauer, John R., *see* Heusmann, H. W.
Savidge, Julie A., *see* Delisle, Jennifer M.
Sayler, Rodney D., and Mark A. Willms. Brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
Scale: 1016
Scale, spatial:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
raccoon habitat use at two spatial scales, 102–112
Scarer:
estimation of effective area of bird scarers, 925–934
Scat: 112, 114
identification of cougar and jaguar feces through bile acid chromatography, 506–510
Scaup, greater: 407–408
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
Scaup, lesser: 407–408, 751, 761
Scavenging:
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
Schauber, Eric, *see* Steidl, Robert J.
Schempf, Philip F., *see* Bowman, Timothy D.
Schmutz, Joel A., Robert F. Rockwell, and Margaret R. Petersen. Relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201
Schoener's ratio:
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Schooley, Robert L., *see* Van Horne, Beatrice
Schrank, Candy S., *see* Patnode, Kathleen A.
Schultz, Thomas W., *see* Mora, Miguel A.
Scientific method: 991
logic and science in wildlife biology, 1007–1015
Scirpus acutus, see Bulrush, tule
Scirpus americanus, see Bulrush
Scirpus robustus, see Bulrush, saltmarsh
Sciurus vulgaris, see Squirrel, Eurasian red
Scolopax minor, see Woodcock, American
Scoter, black: 222
Scoter, surf: 222
Scoter, white-winged: 222
Seabird:
raccoon predation on ancient murrelets on East Limestone Island, British Columbia, 377–388
Seamans, Thomas W., *see* Belant, Jerrold L.
Seasonality:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Sedge: 498, 553, 746, 1041, 1235
Sedinger, James S., Mark S. Lindberg, Eric A. Rexstad, Nathan D. Chelgren, and David H. Ward. Testing for handling bias in survival estimation for black brant, 782–791
———, *see* Ward, David H.
Seed treatment:
feeding deterrence of anthraquinone, anthracene, and anthrone to rice-eating birds, 1359–1365
Seiurus aurocapillus, see Ovenbird
Seiurus noveboracensis, see Waterthrush, northern
Selection ratio:
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
Selenium:
selenium in aquatic birds from central California, 832–839
Senecio triangluaris, see Groundsel, arrowleaf
Sensitive species:
a critical analysis on the use of indicator species in management, 1240–1252
Sensitivity analysis: 1027–1028
sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Sensory irritation: 235
Sentinels: 228
Serengeti ecosystem: 246–248, 1147

Serenoa repens, see Palmetto, saw
Sericano, Jose L., *see* Mora, Miguel A.
Serum marker: 241
Serviceberry: 50, 1036, 1039, 1372
Setophaga ruticilla, see Redstart, American
Sex ratio: 459–465
influence of natural food abundance on black bear harvests in Minnesota, 1067–1074
male-biased harvesting of polar bears in western Hudson Bay, 1075–1082
Sexual size dimorphism: 1087
Shadscale: 76, 93
Sheep:
a test of aversivie agents on wolverines, 510–516
Sheep, bighorn: 14, 460, 1044, 1154
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
Sheep, Dall's:
comparison of horn growth in captive and free-ranging Dall's rams, 1154–1160
Sheep, Stone: 1158
Shelterwood:
forest bird response to regeneration practices in central hardwood forests, 159–171
Shepherdia canadensis, see Berry, buffalo
Shipley, L. A., *see* Spalinger, D. E.
Shiver, D., *see* Giesel, James T.
Shoveler, northern: 761, 835–837
Shrew, Arctic: 174–176
Shrew, masked: 174–176
Shrew, short-tailed: 174–176
Shrike, loggerhead: 1243, 1252
Shrubfield:
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
Shrubsteppe:
distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
Sialia sialis, see Bluebird, eastern
Sierra Nevada: 550
California spotted owl habitat selection in the central Sierra Nevada, 1281–1287
Sigmodon hispidus, see Rat, hispid cotton
Simulation: 303, 403–412, 999, 1016, 1019
a pragmatic approach to modeling for wildlife management, 261–270
relative effects of habitat loss and fragmentation on population extinction, 603–610
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Simulation-based regression: 303
Sinclair, A. R. E., *see* Arcese, Peter
Singer, Francis J., Albert Harting, Kate K. Symonds, and Michael B. Coughenour. Density dependence, compensation and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
Single-tree selection:
forest bird response to regeneration practices in central hardwood forests, 159–171
Siskin, pine: 725–726, 734
Siskiyou National Forest: 152
Sisymbrium spp., *see* Mustard
Sitanion hystrix, see Bottlebrush squirreltail
Site fidelity:
landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
translocation as a nonlethal alternative for managing California ground squirrel, 351–359
Sitta canadensis, see Nuthatch, red-breasted
Sitta carolinensis, see Nuthatch, white-breasted
Six Rivers National Forest: 156, 344
Skull length: 183
Skunk, striped: 244, 793, 951, 1178, 1426, 1434
Small, Robert J., *see* Miller, Gary S.
Smartweed: 229
Smilacina stellata, see Solomonplume, starry
Smilex spp., *see* Greenbriar
Smith, Bruce L., Russell L. Robbins, and Stanley H. Anderson. Early development of supplementally fed, free-ranging elk, 26–39
Smith, Michael H., *see* Fitzsimmons, Nancy N.
Snake, black rat: 1272
Snake, garter: 951
Snake, rattle: 355
Snake River Birds of Prey National Conservation Area: 75
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
Snow depths: 1131
Snowberry: 1039
Snowbrush: 1039
Snowpack:
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
Sodium flux:
validation of ^{22}sodium to estimate food intake of bears, 52–56
Sodium turnover: 54
^{22}Sodium:
validation of ^{22}sodium to estimate food intake of bears, 52–56
Soil samples: 229
Soils: 1042–1043
Solenopsis invicta, see Ant, red imported fire
Solomonplume, starry: 1039
Somateria fischeri, see Eider, spectacled
Somateria molissima, see Eider, common
Songbirds:
forest bird response to regeneration practices in central hardwood forests, 159–171
monitoring songbird population change with autumn mist netting, 389–396
reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Sonoran Desert: 295
Sora:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267

Sorbus americana, see Ash, showy mountain
Sorbus scopulina, see Ash, mountain
Sorex arcticus, see Shrew, Arctic
Sorex cinereus, see Shrew, masked
Sorghastrum nutans, see Grass, Indian
Sorghum: 1109
South Africa:
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
South America: 978–980
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
South Carolina:
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807
growth rates of American alligators in coastal South Carolina, 397–402
South Dakota: 172
Spalinger, D. E., S. M. Cooper, D. J. Martin, and L. A. Shipley. Is social learning an important influence on foraging behavior in white-tailed deer?, 611–621
Sparrow, American tree: 318
Sparrow, chipping: 725–726, 728, 734, 1244, 1247, 1252
Sparrow, clay-colored: 176
Sparrow, field: 159, 164–165, 176, 320
Sparrow, grasshopper:
avian use and vegetation characteristics of Conservation Reserve Program fields, 318–325
Sparrow, Henslow's: 320
Sparrow, house: 1359
Sparrow, Le Conte's: 176
Sparrow, Lincoln's: 725–726, 734, 1243, 1252
Sparrow, savannah: 176
Sparrow, song: 176, 725–726, 734, 1247, 1252
Sparrow, swamp: 793, 1247, 1252
Sparrow, vesper: 176
Sparrow, white-throated: 391, 394, 725–726, 734, 1244–1245, 1247, 1252
Spartina alterniflora, see Grass, saltmarsh cord
Spartina alterniflora, see Grass, smooth cord
Spartina cynosuroides, see Grass, giant cord
Spartina patens, see Hay, saltmarsh
Spatial autocorrelation: 289
Spatial heterogeneity: 75
Spatial model:
relative effects of habitat loss and fragmentation on population extinction, 603–610
Spatial pattern:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
Species abundance: 570
Species, introduced:
raccoon predation on ancient murrelets on East Limestone Island, British Columbia, 377–388
Spectrophotometry, atomic absoption: 229
Spermophilus beecheyi, see Squirrel, California ground
Spermophilus beldingi, see Squirrel, Belding's ground
Spermophilus townsendii, see Squirrel, Townsend's ground
Spermophilus tridecemlineatus, see Squirrel, thirteen-lined ground
Spermophilus variegatus, see Squirrel, rock
***Sphaeralcea* spp.:** 1135
***Sphagnum* spp.:** 748–749
Sphyrapicus varius, see Sapsucker, yellow-bellied
Spiraea betulafolia, see Spirea, birchleaf
***Spiraea densiflora*:** 482, 1039
Spirea alba, see Meadowsweet, narrowleaf
***Spirea betulifolia*:** 482
Spirea, birchleaf: 1039
Spiza americana, see Dickcissel
Spizella arborea, see Sparrow, American tree
Spizella passerina, see Sparrow, chipping
Spizella pusilla, see Sparrow, field
Sporobolus cryptandrus, see Dropseed, sand
Sporobolus wrightii, see Grass, Sacaton
Spring beauty: 1036, 1039
Spruce: 326
Spruce, black: 518, 525, 527–528, 1314, 1371
Spruce budworm:
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Spruce, Engelmann: 137, 460, 485, 1039, 1041
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Spruce, Sitka: 378–379, 962
Spruce, white: 106, 518, 525, 527–528, 896, 1155, 1228, 1314, 1371
Squirrel:
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Squirrel, Belding's ground: 347
Squirrel, California ground:
translocation as a nonlethal alternative for managing California ground squirrel, 351–359
Squirrel, Eurasian red: 1230
Squirrel, Mt. Graham red: 577–579
Squirrel, northern flying: 148, 1228, 1272
dens of northern flying squirrels in the Pacific Northwest, 684–699
Squirrel, red: 483, 577, 1228
Squirrel, rock: 951
Squirrel, southern flying:
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280
Squirrel, thirteen-lined ground: 175
Squirrel, Townsend's ground:
use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
St. Elias Mountains: 1155
St. Lawrence Estuary:
decline in body mass, size, and condition of greater snow geese, 1975–94, 413–419

St. Lawrence Forest Region: 518
Stalmaster, Mark V., and James L. Kaiser. Flushing responses of wintering bald eagles to military activity, 1307–1313
Starfield, Anthony M. A pragmatic approach to modeling for wildlife management, 261–270
Starling, European: 235
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
Starvation: 20
Statistical analysis: 268
Statistical inference:
statistical power analysis in wildlife research, 270–279
Statistical power analysis:
analysis of habitat selection studies with multiple patches within cover types, 1016–1022
statistical power analysis in wildlife research, 270–279
Steidl, Robert J., John P. Hayes, and Eric Schauber. Statistical power analysis in wildlife research, 270–279
———, Karin D. Kozie, and Robert G. Anthony. Reproductive success of bald eagles in interior Alaska, 1313–1321
Sterilization:
computer simulation of vasectomy for wolf control, 1023–1031
Steriods:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
improved bile-acid thin-layer chromatography to identify feces of neotropical carnivores, 1424–1427
Stilt, black-necked: 835–837
***Stipagrostis* spp.:** 1142–1154
Stirling, Ian, *see* Derocher, Andrew E.
Stochastic control: 202
Stochastic, environment: 199
Stochastic model: 266
Stochasticity, demographic: 194
Stocking: 996–997
Storm, Gerald L., *see* Althoff, Donald P.
Strategy:
a pragmatic approach to modeling for wildlife management, 261–270
Stratification:
design and results of a waterfowl breeding population survey for Wyoming, 758–767
Streams:
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Streptopelia orientalis, see Dove, rufous turtle
Strix occidentalis caurina, see Owl, northern spotted
Strix occidentalis lucida, see Owl, Mexican spotted
Strix occidentalis occidentalis, see Owl, California spotted
Strix varia, see Owl, barred
Structure:
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Stuart-Smith, A. Kari, Corey J. A. Bradshaw, Stan Boutin, and A. Blair Rippin. Woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Stumps:
use of tree stumps as roosts by the western long-eared bat, 674–684
Sturnella magna, see Meadowlark, eastern
Sturnella neglecta, see Meadowlark, western
Sturnella spp., *see* Meadowlark
Sturnus vulgaris, see Starling, European
Subspecies:
northern bobwhite restocking in east Texas: a genetic assesment, 854–863
Suitability indices: 299
Sulfate:
ruffed grouse consumption and detoxification of evergreen leaves, 129–139
Sumac, fragrant: 160
Sunflower: 126
Sunflower, prairie: 847
Survey, aerial:
design and results of a waterfowl breeding population survey for Wyoming, 758–767
Survey:
bald eagle population in Prince William Sound after the Exxon Valdez oil spill, 962–967
visibility bias on counts of nesting Canada geese, 768–772
Survival: 12–13, 16–22, 202, 217, 222, 351–359, 497–505
bed-site characteristics of pronghorn fawns, 1134–1141
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
brood ecology of mallards and gadwalls nesting on islands in large reservoirs, 808–815
early development of supplementally fed, free-ranging elk, 26–39
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
effects of radiocollars on San Joaquin kit foxes, 1412–1423
effects of road management on movement and survival of Roosevelt elk, 1115–1126
effects of transmitters on reproduction and survival of wild mallards, 953–961
habitat selection by spotted owls during natal dispersal in western Oregon, 140–150
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
relative effects of survival and reproduction on the population dynamics of emperor geese, 191–201

reproductive success and female survival affect local population density in canvasbacks, 1174–1191
survival, movements, and breeding of released Hawaiian geese: an assessement of the reintroduction program, 1161–1173
survival of northern bobwhite chicks in western Oklahoma, 846–853
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
testing for handling bias in survival estimation for black brant, 782–791
woodland caribou relative to landscape patterns in northeastern Alberta, 622–633
Sus scrofa, see Pig
Susitna River Valley:
survival of radiocollared adult moose in lower Susitna River Valley, southcentral Alaska, 540–549
Swallow, barn: 805
Swallow, tree: 176, 724, 726, 734, 805
Swan Mountains:
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
Sylvilagus floridanus, see Rabbit, cottontail
Sylvilagus palustris hefneri, see Rabbit, Lower Key's marsh
Symonds, Kate K., *see* Singer, Francis J.
Symphoricarpos albus, see Snowberry
Synceros cafer, see Buffalo, African
Synthliboramphus antiquis, see Murrelets, ancient

T

Tachycineta bicolor, see Swallow, tree
Takeoff ability:
effects of hand-rearing and radiotransmitters on flight of gray partridge, 1345–1351
Tallgrass prairie ecosystem: 318
Tamias minimus, see Chipmunk, least
Tamiasciurus hudsonicus grahamensis, see Squirrel, Mt. Graham red
Tamiasciurus hudsonicus, see Squirrel, red
Tamisier, Alain, *see* Pradel, Roger
Tanager, scarlet: 164–165, 176, 724, 726, 735, 1244, 1252
Tanager, summer: 164–165
Taraxacum spp., *see* Dandelion
Tarbush: 1135
Targhee National Forest: 494
Taricha granulosa, see Newts, rough-skinned
Tasmania:
diggings as a population index for the eastern barred bandicoot, 1378–1383
Taste:
a test of aversivie agents on wolverines, 510–516
Taxodium distichum, see Cypress, bald
Teal, blue-winged: 408, 751, 761, 793
Teal, cinnamon: 761
Teal, Eureopean green-winged:
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
Teal, green-winged: 407–408, 435, 751, 761, 816
Tear, Timothy H., Jeffrey C. Mosley, and Ernest D. Ables. Landscape-scale foraging decisions by reintroduced Arabian oryx, 1142–1154
Teeth:
estimating age of sea otters with cementum layers in the first premolar, 967–973
Teflon-harness:
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
Temporal pattern:
temporal patterns of predation on artificial nests in the southern boreal forest, 1227–1234
Terpenes: 235
Territoriality:
local movements of color-marked common loons, 1253–1261
spatial and temporal interactions of male and female grizzly bears in northwest Montana, 39–52
Territory size: 1030
Testis:
fecal steriod profiles in black-footed ferrets exposed to natural photoperiod, 1428–1436
Tetracycline hydrochloride:
enumerating megapopulations of wild bears with an ingested biomarker, 466–480
Texas: 2, 292–293, 305, 397
bed-site characteristics of pronghorn fawns, 1134–1141
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
use of warm-season food plots by white-tailed deer, 1108–1115
Texas Coastal Prairie:
effects of red imported fire ants on recruitment of white-tailed deer fawns, 911–916
Tezaol: 1057
Thalictrum occidentale, see Meadowrue, western
Thamnophis spp., *see* Snake, garter
Thermal environment:
daytime habitat selection by cottontails in central Pennsylvania, 450–459
Thermoregulation: 36, 197
use of tree stumps as roosts by the western long-eared bat, 674–684
Thimbleberry: 1039
Thistle, Russian: 76, 95
Thomomys spp., *see* Gopher, pocket
Thompson III, Frank R., *see* Annand, Elizabeth M.
Thompson, Paul D., *see* Van Deelen, Timothy R.
Thrasher, brown: 1236, 1244, 1246, 1252
Three-awn: 1135, 1145
Thrush, hermit: 391, 725–726, 734, 1244, 1246, 1252

Thrush, Swainson's: 724, 726, 735
Thrush, wood: 159, 164–165, 168, 724, 726, 735, 1244, 1252
Thryothorus ludovicianus, see Wren, Carolina
Thuja occidentalis, see Cedar, white
Thuja plicata, see Cedar, western red
Thunder Bay experimental forest: 525, 527
Tick, winter:
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Tigerbalsam: 512–514
Tilia americana, see Basswood
Timber harvest: 1032
Time series: 291–292
Timothy, swamp: 229
Tioga Resource Areas: 1116
Tischler, Keren B., *see* Piper, Walter H.
Tissue: 1449
Tissue culture: 4
Titetamine hydrochloride: 1057
Titmouse, tufted: 163–165, 168, 1268, 1272
Tits, great: 805
Tobacco dust: 511
Tømmerås, Bjørn Åge, *see* Landa, Arild
Tooth sample: 466–480
Top-down modeling: 267
Topographic mapping:
topographic mapping, LORAN-C, and GPS accuracy for aerial telemetry locations, 1406–1412
Towhee, rufous-sided: 102, 159, 163–165, 1236, 1244, 1246, 1252
Toxicology:
accumulation and mobilization of organochlorine contaminants in wintering greater scaup, 444–449
dermal contact repellents for starlings: foot exposure to natural plant products, 1352–1358
selenium in aquatic birds from central California, 832–839
Toxostoma rufum, see Thrasher, brown
Trace metals:
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Track counts: 27
Tracking plates: 103
Tracking stations:
raccoon habitat use at two spatial scales, 102–112
Trans-Pecos Region:
bed-site characteristics of pronghorn fawns, 1134–1141
Transect, line: 93, 319
distribution of black-tailed jackrabbit habitat determined by GIS in southwestern Idaho, 75–85
probability of detecting harbor porpoise from aerial surveys: estimating g(0), 63–75
Transects:
design and results of a waterfowl breeding population survey for Wyoming, 758–767
Translocation:
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872
translocation as a nonlethal alternative for managing California ground squirrel, 351–359
Transmitter, subcutaneous anchored: 217
Transmitters:
effects of transmitters on reproduction and survival of wild mallards, 953–961
Trap, museum special: 172
Trap, snap: 172
Trap-happiness:
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
Trapping: 1025, 1031
seasonal habitat selection by marten in an untrapped forest preserve, 707–717
Travaini, Alejando, *see* Capurro, Angel F.
Tree cover:
comparison of tree basal area and canopy cover in habitat models: subalpine forest, 326–335
Tree diameter:
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Trifolium repens, see Clover, white
Troglodytes aedon, see Wren, house
Troglodytes troglodytes, see Wren, winter
Trout, cutthroat: 1052
Trout, rainbow: 1314
Tsuga heterophylla, see Hemlock, western
Tupelo: 802
Turdus migratorius, see Robin, American
Turkey, eastern wild:
chronology of wild turkey nesting, gobbling, and hunting in Mississippi, 840–845
eastern wild turkey reproduction in an area subjected to flooding, 313–317
Turner, John W. Jr., Irwin K. M. Liu, Allen T. Rutberg, and Jay F. Kirkpatrick. Immunocontraception limits foal production in free-roaming feral horses in Nevada, 873–880
———, John W., *see* McShea, William J.
Turnover:
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
Turtle, green: 370
Turtle, hawksbill: 370
Turtle, leatherback: 370
Turtle, loggerhead:
comparisons of lethal and nonlethal techniques to reduce raccoon depredation of sea turtle nests, 368–376
Turtle, sea:
comparisons of lethal and nonlethal techniques to reduce raccoon depredation of sea turtle nests, 368–376
Tympanuchus cupido attwateri, see Prairie-chicken, Attwater's greater

Tympanuchus cupido pinnatus, see Prairie-chicken, greater
Tympanuchus phasianellus, see Grouse, sharp-tailed
Typha doningensis, see Cattail, southern
Typha spp., *see* Cattail
Tyrannus melancolicus, see Kingbird, tropical
Tyrannus tyrannus, see Kingbird, eastern
Tyson, Laura A., *see* Belant, Jerrold L.

U

Ulex europaeus, see Gorse
Ulmus americanus, see Elm, white
Ultrastructure:
testing for handling bias in survival estimation for black brant, 782–791
Ulvas spp., *see* Algae
Umbellularia californica, see Myrtle
Umpqua National Forest: 152
Uncertainty: 3, 202, 266
Undernutrition: 36
Uniola paniculata, see Oats, sea
United States Army Corps of Engineers: 313, 315
United States Department of Agriculture: 1, 40, 172
United States Department of Defense: 531
United States Department of Energy: 172
United States Fish and Wildlife Service: 6, 27, 184, 191, 217, 222, 369, 403, 574, 758, 1068
United States Forest Service: 6, 27, 172, 336, 366, 1068
United States Geological Survey: 78, 337
United States National Oceanic and Atmospheric Administration: 392
Upper Mississippi River Basin: 990–991
Urbanization:
factors affecting predation of artificial nests in marshes, 792–800
Urea:
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Urea nitrogen:
trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale, 895–903
Urine: 53, 512–513
simulating nitrogen metabolism and urinary urea nitrogen: creatinine ratios in ruminants, 881–894
Urocyon cinereoargenteus, see Fox, gray
Ursids: 1080–1081
Ursocholic acid: 507–509
Ursus americanus, see Bear, black
Ursus arctos horribilis, see Bear, grizzly
Ursus arctos, see Bear, brown or Bear, grizzly
Ursus maritimus, see Bear, polar
Ursus spp., *see* Bear
Ursus thibetanus, see Bear, Asiatic black
Urtica dioica, see Nettle, stinging
USDA, *see* United States Department of Agriculture
USDOD, *see* United States Department of Defense
USFS, *see* United States Forest Service
USFWS, *see* United States Fish and Wildlife Service
USGS, *see* United States Geological Survey
Utah: 26, 57
Utility assessment:
valuation of experimental management options for ecological systems, 987–1006
Utsey, Francis M., and Gary R. Hepp. Frequency of nest box maintenance: effects on wood duck nesting in South Carolina, 801–807

V

Vaccination: 4, 7, 9–11, 103, 244
Vaccinium globulare, see Huckleberry, globe
Vaccinium paravifolium, see Whortleberry
Vaccinium scoparium, see Whortleberry
Vaccinium vacillans, see Blueberry, early low
Value function: 994, 996
Van Deelen, Timothy R., Henry Campa III, Jonathan B. Haufler, and Paul D. Thompson. Mortality patterns of white-tailed deer in Michigan's Upper Peninsula, 903–910
Van Horne, Beatrice, Robert L. Schooley, Steven T. Knick, Gail S. Olson, and Kenneth P. Burnham. Use of burrow entrances to indicate densities of Townsend's ground squirrels, 92–101
Van Vuren, Dirk, Amy J. Kuenzi, Ivetto Loredo, Amy L. Leider, and Michael L. Morrison. Translocation as a nonlethal alternative for managing California ground squirrels, 351–359
Varner, Larry W., *see* Asleson, Mark A.
Vasectomy:
computer simulation of vasectomy for wolf control, 1023–1031
Veery: 724, 726, 734, 1244–1246, 1248, 1252
Vegetation:
bed-site characteristics of pronghorn fawns, 1134–1141
grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Veratrum viride, see Indian poke
Vermivora peregrina, see Warbler, Tennessee
Vermivora pinus, see Warbler, blue-winged
Vernivora ruficapilla, see Warbler, Nashville
Veterinary Services Office: 5
Viburnum trilobum, see Cranberry, highbush
Vigna sinensis, see Cowpeas, iron and clay
Viola glabella, see Violet, stream
Violet, stream: 1039
Vireo flavifrons, see Vireo, yellow-throated
Vireo gilvus, see Vireo, warbling
Vireo griseus, see Vireo, white-eyed
Vireo olivaceus, see Vireo, red-eyed
Vireo, Philadelphia: 725–726, 735
Vireo philadelphicus, see Vireo, Philadelphia

Vireo, red-eyed: 159, 163–165, 168–169, 724, 726, 735, 1244, 1246, 1252
Vireo solitarius, see Vireo, solitary
Vireo, solitary: 176, 725–726, 735, 1244, 1246, 1252
Vireo, warbling: 176
Vireo, whited-eyed: 159, 164–165
Vireo, yellow-throated: 164–165, 176, 1244, 1252
Virginia: 561
Visser, Larry G., *see* Garshelis, David L.
Vitis riparia, see Grape, riverbank
Vohs, Paul A., *see* Perkins, Anjeanette L.
Vole: 235
Vole, boreal red-backed: 1228
Vole, long-tailed: 578
Vole, meadow: 174–176
Vole, red-backed: 174–176
Vole, root:
effects of spatiotemporal scale on autocorrelation and home range estimators, 280–290
Voles, prairie: 235
Voles, Townsend: 239
Vonhof, Marten J., and Robert M. R. Barclay. Use of tree stumps as roosts by the western long-eared bat, 674–684
Vorisek, Shawchyi, *see* Ortega, Catherine P.
Voyageurs National Park: 532–533, 535
Vulpes macrotis mutica, see Fox, San Joaquin kit
Vulpes vulpes, see Fox, red

W

Wager-Page, Shirley A., Gisela Epple, and J. Russell Mason. Variation in avoidance of siberian pine needle oil by rodent and avian species, 235–241
Wagner, Frank F., *see* Ripple, William J.
Waller, John S., and Richard D. Mace. Grizzly bear habitat selection in the Swan Mountains, Montana, 1032–1039
———, *see* Mace, Richard D.
Walter, Scott E,. and Donald H. Rusch. Visibility bias on counts of nesting Canada geese, 768–772
Walters, Carl J., and Roger Green. Valuation of experimental management options for ecological systems, 987–1006
Wapiti, *see* Elk
Warbler, bay-breasted: 391, 724, 726, 728, 735
Warbler, black-and-white: 163, 165, 168, 725–728, 734, 1244–1246, 1248, 1252
Warbler, black-throated blue: 724, 726, 735
Warbler, black-throated green: 391, 724, 726, 735, 1244, 1246, 1252
Warbler, blackburian: 724, 726, 728, 735, 1242, 1244–1246, 1252
Warbler, blackpoll: 724, 726, 735
Warbler, blue-winged: 159, 164–166, 169
Warbler, Canada: 391, 725–727, 734, 1244–1246, 1248, 1252
Warbler, Cape May: 1243, 1252
Warbler, chestnut-sided: 725–727, 734, 1244, 1246, 1252
Warbler, hooded: 159, 163–165, 168–169, 1222
Warbler, Kentucky: 164–165
Warbler, magnolia: 391, 394, 725–726, 728, 734, 1243–1244, 1246, 1252
Warbler, mourning: 725–728, 734, 1244, 1246, 1252
Warbler, Nashville: 391, 725–726, 734, 1244–1246, 1248, 1252
Warbler, palm: 725–726, 728, 734
Warbler, pine: 163–165, 168, 1240, 1242, 1244, 1246, 1252
Warbler, prairie: 159, 163–166, 169
Warbler, Tennessee: 391, 725–726, 734
Warbler, Wilson's: 725–727, 734
Warbler, worm-eating: 163–165, 168–169
Warbler, yellow: 176
Warbler, yellow-rumped: 391, 725, 735, 940–943, 1244, 1252
Warbler, yellow-throated: 164–166, 168
Ward, David, Eric A. Rexstad, James S. Sedinger, Mark S. Lindberg, and Neil K. Dawe. Seasonal and annual survival of adult Pacific brant, 773–781
———, *see* Sedinger, James S.
Warren, Robert J., *see* Ratnaswamy, Mary J.
Washington: 26, 63, 146, 1319
dens of northern flying squirrels in the Pacific Northwest, 684–699
flushing responses of wintering bald eagles to military activity, 1307–1313
Water depth:
factors affecting predation of artificial nests in marshes, 792–800
Water, drainage:
selenium in aquatic birds from central California, 832–839
Waterbirds:
power to detect trends in waterbird abundance with call-response surveys, 1262–1267
Waterfowl harvest management: 202
Watershed:
habitat factors influencing beaver dam establishment in a northern Ontario watershed, 1371–1377
Watershield: 802
Waterthrush, northern: 725–728, 734
Waxwing, cedar: 176, 725–726, 734, 1244, 1252
Weasel, long-tailed: 951
Weather:
early development of supplementally fed, free-ranging elk, 26–39
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
evaluation of pheasant crowing rates as a population index, 1338–1344
Weather catastrophes: 297–300
Weiland, Norm, *see* Niemi, Gerald J.
Wennerlund, Jennifer A., *see* Carrel, William K.
Wetland: 228

wetland use, settling patterns, and recruitment in mallards, 736–746
selenium in aquatic birds from central California, 832–839
Wetland classification:
a simple wetland habitat classification for boreal forest waterfowl, 746–757
Whale, killer: 199
Whale, pilot: 248–249
Whale, right:
satellite-monitored movements of the northern right whale, 1393–1405
Whaling: 249
White River National Wildlife Refuge:
denning ecology of black bears in the White River National Wildlife Refuge, Arkansas, 700–706
Whiting, R. Monatgue Jr., *see* Nedbal, Michael A.
Whortleberry: 1039
Wigeon, American: 407–408, 751, 761, 780
Wild Bird Conservation Act: 576
Wildlife disease:
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Wildlife law:
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
Wildlife rehabilitation: 984
Wildlife toxicology:
potential effects of environmental contaminants on recovery of the aplomado falcon in south Texas, 1288–1296
Wilkinson, Philip M., and Walter E. Rhodes. Growth rates of American alligators in coastal South Carolina, 397–402
Willamette National Forest: 141
Williams, Byron K. Logic and science in wildlife biology, 1007–1015
———, *see* Johnson, Fred A.
Williams, Lisa M., and Margaret Brittingham. Selection of maternity roosts by big brown bats, 359–368
Williams, Mark A., *see* Sayler, Rodney D.
Willow: 106, 124, 498, 802, 1155
Wilson, Todd M., *see* Carey, Andrew B.
Wilsonia canadensis, *see* Warbler, Canada
Wilsonia citrina, *see* Warbler, hooded
Wilsonia pusilla, *see* Warbler, Wilson's
Winter:
accuracy of GPS telemetry collar locations with differential correction, 530–539
bird reactions to observer clothing color: implications for distance-sampling techniques, 935–947
body-mass, survival, and pairing consequences of winter-diet restriction in wood ducks, 822–832
effects of landscape and weather on winter survival of ring-necked pheasant hens, 634–644
flushing responses of wintering bald eagles to military activity, 1307–1313
individual turnover among wintering teal in Camargue: a mark-recapture study, 816–821
satellite tracking of white-faced whistling ducks in a semiarid region of South Africa, 1208–1213
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
use of habitats by female northern pintails wintering in southwestern Louisiana, 435–443
Winter mortality:
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
Winter severity: 12–13, 19, 21
Winterfat: 76, 93
Wisconsin: 172, 292, 306, 467, 476, 1023, 1025, 1030, 1319
a critical analysis on the use of indicator species in management, 1240–1252
edge-related nest losses in Wisconsin pine barrens, 1234–1239
local movements of color-marked common loons, 1253–1261
reexamination of cowbird parasitism and edge effects in Wisconsin forests, 1222–1226
Wisdom, Michael J., and Scott L. Mills. Sensitivity analysis to guide population recovery: prairie-chickens as an example, 302–312
Wolf: 13, 22–23, 53, 246, 266, 511, 541, 896, 1040, 1053, 1057, 1132
computer simulation of vasectomy for wolf control, 1023–1031
population dynamics of a recolonizing wolf population, 459–465
Wolf, maned: 1429
Wolf pups:
computer simulation of vasectomy for wolf control, 1023–1031
Wolf, red: 375
Wolverine:
a test of aversive agents on wolverines, 510–516
Wood pewee, eastern: 164–165, 176, 725, 728, 735
Woodcock, American:
survival rates of American woodcock wintering in the Georgia Piedmont, 1328–1332
Woodpecker, black-backed: 725–726, 734, 1243, 1252
Woodpecker, downy: 176, 725, 734, 1244, 1252, 1272
Woodpecker, golden-fronted: 1294
Woodpecker, hairy: 164–165, 273, 725–726, 734, 1244, 1252
Woodpecker, pileated: 164–166, 176, 724, 726, 735, 1242–1243, 1252
Woodpecker, red-bellied: 164–165, 176, 940–943, 1268, 1272
Woodpecker, red-cockaded:
an experimental test of interspecific competition for red-cockaded woodpecker cavities, 1268–1280

Woodpecker, red-headed: 176, 1268, 1272
Woodpecker, three-toed: 724, 726, 735
Woodrat, dusky footed: 147
between-habitat movement of dusky-footed woodrats and vulnerability to predation, 343–350
Woodrat, white-throated: 126
Woods, John., *see* Jones, Ainsley.
Woolf, Alan, *see* Foster, John R.
Woolley, Timothy P. , and Fredrick G. Lindzey. Relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Wren, Carolina: 164–165
Wren, house: 176, 805, 1228
Wren, marsh:
factors affecting predation of artificial nests in marshes, 792–800
Wren, sedge: 176, 318
Wren, winter: 176, 725–726, 735, 1244–1246, 1248, 1252
Wyoming: 57, 1139, 1319
design and results of a waterfowl breeding population survey for Wyoming, 758–767
early development of supplementally fed, free-ranging elk, 26–39
genetic changes in reintroduced Rocky Mountain bighorn sheep populations, 863–872.
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
relative precision and sources of bias in pronghorn sex and age composition survey, 57–63
Wyoming Department of Game and Fish: 3, 27, 58

X

Xanthocephalus xanthocephalus, see Blackbird, yellow-headed
Xanthoxlum americanum, see Ash, prickly
Xerophyllum tenax, see Grass, common bear
Xylaxine HCL: 541, 1100

Y

Yampah: 490
Yarrow: 1039
Yazoo National Wildlife Refuge: 823
Yellowstone National Park: 1037, 1040, 1062, 1450
density dependence,compensation and environmental effects on elk calf mortality in Yellowstone National Park, 12–25
Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement, 1–11
spring feeding on ungulate carcasses by grizzly bears in Yellowstone National Park, 1040–1055
use of lodgepole pine cover types by Yellowstone grizzly bears, 480–496
Yellowstone River: 1041–1042
Yellowthroat, common: 318, 725–726, 734, 1242, 1244–1246, 1252
YNP, *see* Yellowstone National Park
Young, Donald D., and Thomas R. McCabe. Grizzly bear predation rates on caribou calves in northeastern Alaska, 1056–1066
Yucca: 1135
Yucca elata, see Yucca
Yukon:
comparison of horn growth in captive and free-ranging Dall's rams, 1154–1160
Yukon Delta National Wildlife Refuge: 217
Yukon Territory: 497, 1319
Yukon-Kuskokwim Delta: 191, 217, 413
habitat use by nesting and brood rearing northern pintails on the Yukon-Kuskokwim Delta, Alaska, 1199–1207
seasonal and annual survival of adult Pacific brant, 773–781

Z

Zapus hudsonius, see Mouse, meadow jumping
Zenaida macroura, see Dove, mourning
Zizaniopsis miliacea, see Rice, wild
Zolazepam hydrochloride: 1057
Zonotrichia albicolis, see Sparrow, white-throated
Zoos: 974–975
Zostera marina, see Eelgrass, common